Author Index

A

Aanstoot, H. *See* van Es, Gmelig Meyling, van de Akker, Aanstoot, Derksen, and Logtenberg.

Abe, M. *See* Kodama, Yamasaki, Nose, Niida, Ohgame, Abe, Kumegawa, and Suda.

Abraham, K.M., Levin, S.D., Marth, J.D., Forbush, K.A., and Perlmutter, R.M. Delayed thymocyte development induced by augmented expression of p56^{lck}. 1421.

— *See* Wildin, Garvin, Pawar, Lewis, Abraham, Forbush, Ziegler, Allen, and Perlmutter.

Ackerman, J. *See* Alters, Shizuru, Ackerman, Grossman, Seydel, and Fathman.

Agus, D.B., Surh, C.D., and Sprent, J. Reentry of T cells to the adult thymus is restricted to activated T cells. 1039.

Ahearn, J.M. *See* Tuveson, Ahearn, Matsumoto, and Fearon.

Alderson, M.R., Tough, T.W., Ziegler, S.F., and Grabstein, K.H. Interleukin 7 induces cytokine secretion and tumoricidal activity by human peripheral blood monocytes. 923.

Alderuccio, F., Chan, E.K.L., and Tan, E.M. Molecular characterization of an autoantigen of PM-Scl in the polymyositis/scleroderma overlap syndrome: a unique and complete human cDNA encoding an apparent 75-kD acidic protein of the nucleolar complex. 941.

Alexander, H.R., Doherty, G.M., Buresh, C.M., Venzon, D.J., and Norton, J.A. A recombinant human receptor antagonist to interleukin 1 improves survival after lethal endotoxemia in mice. 1029.

Alexander, M.A., Damico, C.A., Wieties, K.M., Hansen, T.H., and Connolly, J.M. Correlation between CD8 dependency and determinant density using peptide-induced, L^d-restricted cytotoxic T lymphocytes. 849.

Allavena, P., Paganin, C., Martin-Padura, I., Peri, G., Gaboli, M., Dejana, E., Marchisio, P.C., and Mantovani, A. Molecules and structures involved in the adhesion of natural killer cells to vascular endothelium. 439.

Allen, J.B. *See* Wahl, Allen, McCartney-Francis, Morganti-Kossmann, Kossmann, Ellingsworth, Mai, Mergenhagen, and Orenstein.

Allen, J.M. *See* Wildin, Garvin, Pawar, Lewis, Abraham, Forbush, Ziegler, Allen, and Perlmutter.

Alper, C.A. *See* Egea, Iglesias, Salazar, Morimoto, Kruskall, Awdeh, Schlossman, Alper, and Yunis.

Alpert, A.R. *See* de Vries, Brasel, Eisenman, Alpert, and Williams.

Alt, F.W. *See* Berman, Humphries, Barth, Alt, and Tucker.

Alters, S.E., Shizuru, J.A., Ackerman, J., Grossman, D., Seydel, K.B., and Fathman, C.G. Anti-CD4 mediates clonal anergy during transplantation tolerance induction. 491.

Alvarez-Do Forno, R. *See* Arribas, Rodríguez, Alvarez-Do Forno, and Castaño.

Ametani, A. *See* Gammon, Geysen, Apple, Pickett, Palmer, Ametani, and Sercarz.

Andersen, L.C., Beaty, J.S., Nettles, J.W., Seyfried, C.E., Nepom, G.T., and Nepom, B.S. Allelic polymorphism in transcriptional regulatory regions of HLA-DQB genes. 181.

Andrade, L.E.C., Chan, E.K.L., Raska, I., Pebbles, C.L., Roos, G., and Tan, E.M. Human autoantibody to a novel protein of the nuclear coiled body: immunological characterization and cDNA cloning of p80-coilin. 1407.

Andreu-Sánchez, J.L., de Alborán, I.M., Marcos, M.A.R., Sánchez-Movilla, A., Martínez-A, C., and Kroemer, G. Interleukin 2 abrogates the nonresponsive state of T cells expressing a forbidden T cell receptor repertoire and induces autoimmune disease in neonatally thymectomized mice. 1323.

Apgar, J.R. *See* O'Rourke, Apgar, Kane, Martz, and Mescher.

Appella, E. *See* Skeel, Yoshimura, Showalter, Tanaka, Appella, and Leonard.

Apple, R.J. *See* Gammon, Geysen, Apple, Pickett, Palmer, Ametani, and Sercarz.

Armes, J.E. *See* Pelchen-Matthews, Armes, Griffiths, and Marsh.

Arribas, J., Rodríguez, M.L., Alvarez-Do Forno, R. and Castaño, J.G. Autoantibodies against the multicatalytic proteinase in patients with systemic lupus erythematosus. 423.

Aruffo, A. *See* Linsley, Brady, Grosmaire, Aruffo, Damle, and Ledbetter.

Arulanandam, A.R.N., Koyasu, S., and Reinherz, E.L. T cell receptor–independent CD2 signal transduction in FcR$^+$ cells. 859.

Asano, T. *See* Matsumoto, Yoshikai, Asano, Himeno, Iwasaki, and Nomoto.

Atkinson, J.P. *See* Moulds, Nickells, Moulds, Brown, and Atkinson.

Augustine, N.H. *See* Hill, Augustine, and Jaffe.

Awdeh, Z. *See* Egea, Iglesias, Salazar, Morimoto, Kruskall, Awdeh, Schlossman, Alper, and Yunis.

B

Bažil, V. *See* Ono, Bažil, Sugawara, and Strominger.

Bach, F.H. *See* Houchins, Yabe, McSherry, and Bach.

Baggiolini, M. *See* Bazzoni, Cassatella, Rossi, Ceska, Dewald, and Baggiolini.

Baglioni, C. *See* Peppel, Vinci, and Baglioni.

Baltimore, D. *See* Schlissel, Corcoran, and Baltimore.

Banchereau, J. *See* Rousset, Garcia, and Banchereau.

Bankert, R.B. *See* Chen, Repasky, and Bankert.

Barker, J. *See* Kaplan, Britton, Hancock, Theuvenet, Smith, Job, Roche, Molloy, Burkhardt, Barker, Pradhan, and Cohn.

Barnett, B.C. *See* Smith, Barnett, Thomas, and Temoltzin-Palacios.

Barry, T.S., Jones, D.M., Richter, C.B., and Haynes, B.F. Successful engraftment of human postnatal thymus in severe combined immune deficient (SCID) mice: differential engraftment of thymic components with irradiation versus anti–asialo GM-1 immunosuppressive regimens. 167.

Barth, J. *See* Berman, Humphries, Barth, Alt, and Tucker.

Barth, R.J., Jr., Mulé, J.J., Spiess, P.J., and Rosenberg, S.A. Interferon γ and tumor necrosis factor have a role in tumor regressions mediated by murine CD8$^+$ tumor-infiltrating lymphocytes. 647.

Bateman, W.J., Fiera, R., Matthews, N., and Morris, A.G. Inducibility of class II major histocompatibility complex antigens by interferon γ is associated with reduced tumorigenicity in C3H mouse fibroblasts transformed by v-Ki-*ras*. 193.

Baum, L.L. *See* Murphy, Baum, and Beaman.

Baxter, G.D. *See* Moss, Burrows, Baxter, and Lavin.

Bayne, N.K. *See* Koizumi, Liu, Zheng, Joag, Bayne, Holoshitz, and Young.

Bazzoni, F., Cassatella, M.A., Rossi, F., Ceska, M., Dewald, B., and Baggiolini, M. Phagocytosing neutrophils produce and release high amounts of the neutrophil-activating peptide 1/interleukin 8. 771.

Beaman, K.D. *See* Murphy, Baum, and Beaman.

Beaty, J.S. *See* Andersen, Beaty, Nettles, Seyfried, Nepom, and Nepom.

Beavis, R. *See* Goldberg, Slater, Beavis, Chait, Cerami, and Henderson.

Behar, S.M., Lustgarten, D.L., Corbet, S., and Scharff, M.D. Characterization of somatically mutated S107 V_H11-encoded anti-DNA autoantibodies derived from autoimmune (NZB × NZW)F_1 mice. 731.

Belardelli, F. *See* Ciolli, Gabriele, Sestili, Varano, Proietti, Gresser, Testa, Montesoro, Bulgarini, Mariani, Peschle, and Belardelli.

— *See* Gresser, Carnaud, Maury, Sala, Eid, Woodrow, Maunoury, and Belardelli.

Bender, A. *See* Kabelitz, Bender, Prospero, Wesselborg, Janssen, and Pechhold.

Benjamin, W.R. *See* McIntyre, Stepan, Kolinsky, Benjamin, Plocinski, Kaffka, Campen, Chizzonite, and Kilian.

Benveniste, E.N. *See* Chung, Norris, and Benveniste.
Berman, J.E., Humphries, C.G., Barth, J., Alt, F.W., and Tucker, P.W. Structure and expression of human germline V_H transcripts. 1529.
Bertini, R. *See* Gadina, Bertini, Mengozzi, Zandalasini, Mantovani, and Ghezzi.
Bickel, J.T. *See* Braley-Mullen, Sharp, Bickel, and Kyriakos.
Bill, J. *See* Pullen, Bill, Kubo, Marrack, and Kappler.
Birkeland, M.L. *See* Camp, Kraus, Birkeland, and Puré.
Blankenstein, T., Qin, Z., Überla, K., Müller, W., Rosen, H., Volk, H.-D., and Diamantstein, T. Tumor suppression after tumor cell–targeted tumor necrosis factor α gene transfer. 1047.
Bluestone, J.A. *See* Rellahan, Bluestone, Houlden, Cotterman, and Matis.
Blömer, K. *See* Messer, Spengler, Jung, Honold, Blömer, Pape, Riethmüller, and Weiss.
Bochner, B.S., Luscinskas, F.W., Gimbrone, M.A., Jr., Newman, W., Sterbinsky, S.A., Derse-Anthony, C.P., Klunk, D., and Schleimer, R.P. Adhesion of human basophils, eosinophils and neutrophils to interleukin 1–activated human vascular endothelial cells: contributions of endothelial cell adhesion molecules. 1553.
Bona, C. *See* Boros, Odin, Muryoi, Masur, Bona, and Unkeless.
Bond, M.W. *See* Thompson-Snipes, Dhar, Bond, Mosmann, Moore, and Rennick.
Boon, T. *See* Van den Eynde, Lethé, Van Pel, De Plaen, and Boon.
Boros, P., Odin, J.A., Muryoi, T., Masur, S.K., Bona, C., and Unkeless, J.C. IgM anti-$Fc_\gamma R$ autoantibodies trigger neutrophil degranulation. 1473.
Borst, J. *See* Peters, Borst, Oorschot, Fukuda, Krähenbühl, Tschopp, Slot, and Geuze.
Bowman, M. *See* Sékaly, Croteau, Bowman, Scholl, Burakoff, and Geha.
Boyer, V., Desgranges, C., Trabaud, M-A., Fischer, E., and Kazatchkine, M.D. Complement mediates human immunodeficiency virus type 1 infection of a human T cell line in a CD4- and antibody-independent fashion. 1151.
Brady, W. *See* Linsley, Brady, Grosmaire, Aruffo, Damle, and Ledbetter.
Braley-Mullen, H., Sharp, G.C., Bickel, J.T., and Kyriakos, M. Induction of severe granulomatous experimental autoimmune thyroiditis in mice by effector cells activated in the presence of anti–interleukin 2 receptor antibody. 899.
Brand, A. *See* Marijt, Veenhof, Brand, Goulmy, Fibbe, Willemze, van Rood, and Falkenburg.
Brasel, K.A. *See* de Vries, Brasel, Eisenman, Alpert, and Williams.
Bressler, P. *See* Poli, Kinter, Justement, Bressler, Kehrl, and Fauci.
Briottet, C. *See* Guy-Grand, Cerf-Bensussan, Malissen, Malassis-Seris, Briottet, and Vassali.
— *See* Guy-Grand, Malassis-Seris, Briottet, and Vassalli.
Britton, W.J. *See* Kaplan, Britton, Hancock, Theuvenet, Smith, Job, Roche, Molloy, Burkhardt, Barker, Pradhan, and Cohn.
Broadley, K.N. *See* Fava, Olsen, Postlethwaite, Broadley, Davidson, Nanney, Lucas, and Townes.
Brostoff, S. *See* Martin, Howell, Jaraquemada, Flerlage, Richert, Brostoff, Long, McFarlin, and McFarland.
Brown, M.C. *See* Moulds, Nickells, Moulds, Brown, and Atkinson.
Brubaker, J.O. *See* Welsh, Brubaker, Vargas-Cortes, and O'Donnell.
Bruneau, J.-M. *See* Del Porto, Mami-Chouaib, Bruneau, Jitsukawa, Dumas, Harnois, and Hercend.
Bucala, R., Ritchlin, C., Winchester, R., and Cerami, A. Constitutive production of inflammatory and mitogenic cytokines by rheumatoid synovial fibroblasts. 569.
Bulgarini, D. *See* Ciolli, Gabriele, Sestili, Varano, Proietti, Gresser, Testa, Montesoro, Bulgarini, Mariani, Peschle, and Belardelli.
Burakoff, S. *See* Sékaly, Croteau, Bowman, Scholl, Burakoff, and Geha.
Buresh, C.M. *See* Alexander, Doherty, Buresh, Venzon, and Norton.
Burkhardt, R. *See* Kaplan, Britton, Hancock, Theuvenet, Smith, Job, Roche, Molloy, Burkhardt, Barker, Pradhan, and Cohn.
Burroughs, M. *See* Saukkonen, Cabellos, Burroughs, Prasad, and Tuomanen.
Burrows, S.R. *See* Moss, Burrows, Baxter, and Lavin.
Butcher, G.W. *See* Davies, Wilson, Butcher, and Wilson.
— *See* Davies, Wilson, Hermel, Lindahl, Butcher, and Wilson.
— *See* Powis, Howard, and Butcher.
Butini, L. *See* Pantaleo, Butini, Graziosi, Poli, Schnittman, Greenhouse, Gallin, and Fauci.

C

Cabellos, C. *See* Saukkonen, Cabellos, Burroughs, Prasad, and Tuomanen.
Caillol, D. *See* He, Naquet, Caillol, and Pierres.
Camilli, A., Goldfine, H., and Portnoy, D.A. *Listeria monocytogenes* mutants lacking phosphatidylinositol-specific phospholipase C are avirulent. 751.
Camp, R.L., Kraus, T.A., Birkeland, M.L., and Puré, E. High levels of CD44 expression distinguish virgin from antigen-primed B cells. 763.
Campen, C.A. *See* McIntyre, Stepan, Kolinsky, Benjamin, Plocinski, Kaffka, Campen, Chizzonite, and Kilian.
Canfield, S.M., and Morrison, S.L. The binding affinity of human IgG for its high affinity Fc Receptor is determined by multiple amino acids in the C_H2 domain and is modulated by the hinge region. 1483.
— *See* Tao, Canfield, and Morrison.
Carbet, S. *See* Behar, Lustgarten, Corbet, and Scharff.
Carbonara, C. *See* De Libero, Casorati, Giachino, Carbonara, Migone, Matzinger, and Lanzavecchia.
Carmack, C.E. *See* Hardy, Carmack, Shinton, Kemp, and Hayakawa.
Carnaud, C. *See* Gresser, Carnaud, Maury, Sala, Eid, Woodrow, Maunoury, and Belardelli.
Carpenter, J. *See* Lewis, Yu, Forbush, Carpenter, Sato, Grossman, Liggitt, and Perlmutter.
Carter, R. *See* Naotunne, Karunaweera, Del Giudice, Kularatne, Grau, Carter, and Mendis.
Carter, R.H. *See* Matsumoto, Kopicky-Burd, Carter, Tuveson, Tedder, and Fearon.
Casorati, G. *See* De Libero, Casorati, Giachino, Carbonara, Migone, Matzinger, and Lanzavecchia.
Caspar, P. *See* Pearce, Caspar, Grzych, Lewis, and Sher.
Cassatella, M.A. *See* Bazzoni, Cassatella, Rossi, Ceska, Dewald, and Baggiolini.
Castaño, J.G. *See* Arribas, Rodríguez, Alvarez Do-Forno, and Castaño.
Caton, A.J. *See* Yamada, Wasserman, Reichard, Shane, Caton, and Rovera.
Celada, F. *See* Manca, Fenoglio, Li Pira, Kunkl, and Celada.
Center, D.M. *See* Rand, Cruikshank, Center, and Weller.
Cerami, A. *See* Bucala, Ritchlin, Winchester, and Cerami.
— *See* Goldberg, Slater, Beavis, Chait, Cerami, and Henderson.
Cerf-Bensussan, N. *See* Guy-Grand, Cerf-Bensussan, Malissen, Malassis-Seris, Briottet, and Vassali.
Ceska, M. *See* Bazzoni, Cassatella, Rossi, Ceska, Dewald, and Baggiolini.
— *See* Martich, Danner, Ceska, and Suffredini.
Chait, B. *See* Goldberg, Slater, Beavis, Chait, Cerami, and Henderson.
Chan, E.K.L. *See* Alderuccio, Chan, and Tan.
— *See* Andrade, Chan, Raska, Pebbles, Roos, and Tan.
Chan, S.H., Perussia, B., Gupta, J.W., Kobayashi, M., Pospíšil, M., Young, H.A., Wolf, S.F., Young, D., Clark, S.C., and Trinchieri, G. Induction of interferon γ production by natural killer cell stimulatory factor: characterization of the responder cells and synergy with other inducers. 869.
Chen, F.A., Repasky, E.A., and Bankert, R.B. Human lung tumor–associated antigen identified as an extracellular matrix adhesion molecule. 1111.
Chen, T.T. *See* Zelenetz, Chen, and Levy.
Cherayil, B.J., and Pillai, S. The $\omega/\lambda 5$ surrogate immunoglobulin light chain is expressed on the surface of transitional B lymphocytes in murine bone marrow. 111.
Chesnut, R.W. *See* Vitiello, Marchesini, Furze, Sherman, and Chesnut.
Chi, E.Y. *See* Yong, Chi, Fritsche, and Henderson.
Chi-Rosso, G. *See* Lo, Lee, Ramos, Lobb, Rosa, Chi-Rosso and Wright.
Chizzonite, R. *See* Neta, Oppenheim, Schreiber, Chizzonite, Ledney, and MacVittie.
Chizzonite, R.A. *See* McIntyre, Stepan, Kolinsky, Benjamin, Plocinski, Kaffka, Campen, Chizzonite, and Kilian.
Christoffersen, C.A. *See* Silverstein, Turley, Christoffersen, Johnson, and Morrison.
Chung, I.Y., Norris, J.G., and Benveniste, E.N. Differential tumor necrosis factor α expression by astrocytes from experimental allergic encephalomyelitis–susceptible and –resistant rat strains. 801.
Chvatchko, Y., and MacDonald, H.R. $CD8^+$ T cell response to Mls-1^a determinants involves major histocompatibility complex class II molecules. 779.

Ciolli, V., Gabriele, L., Sestili, P., Varano, F., Proietti, E., Gresser, I., Testa, U., Montesoro, E., Bulgarini, D., Mariani, G., Peschle, C., and Belardelli, F. Combined interleukin 1/interleukin 2 therapy of mice injected with highly metastatic friend leukemia cells: host antitumor mechanisms and marked effects on established metastases. 313.
Clark, E.A. *See* Koulova, Clark, Shu, and Dupont.
Clark, S.C. *See* Chan, Perussia, Gupta, Kobayashi, Pospíšil, Young, Wolf, Young, Clark, and Trinchieri.
Clevers, H. *See* Oosterwegel, van de Wetering, Dooijes, Klomp, Winoto, Georgopoulos, Meijlink, and Clevers.
Cohen, P.L. *See* Sobel, Katagiri, Katagiri, Morris, Cohen, and Eisenberg.
Cohn, Z.A. *See* Kaplan, Britton, Hancock, Theuvenet, Smith, Job, Roche, Molloy, Burkhardt, Barker, Pradhan, and Cohn.
— *See* Sampaio, Sarno, Galilly, Cohn, and Kaplan.
Coligan, J.E. *See* Moulder, Roberts, Shevach, and Coligan.
Colombo, M.P., Ferrari, G., Stoppacciaro, A., Parenza, M., Rodolfo, M., Mavilio, F., and Parmiani, G. Granulocyte colony-stimulating factor gene transfer suppresses tumorigenicity of a murine adenocarcinoma in vivo. 889.
Connolly, J.M. *See* Alexander, Damico, Wieties, Hansen, and Connolly.
— *See* Lie, Myers, Connolly, Gorka, Lee, and Hansen.
Conover, J. *See* Klinman, Higgins, and Conover.
Corcoran, L.M. *See* Schlissel, Corcoran, and Baltimore.
Corte, G. *See* Giunta, Favre, Ramarli, Grossi, and Corte.
Cotterman, M.M. *See* Rellahan, Bluestone, Houlden, Cotterman, and Matis.
Crocker, J. *See* Rowe, Young, Crocker, Stokes, Henderson, and Rickinson.
Croteau, G. Sékaly, Croteau, Bowman, Scholl, Burakoff, and Geha.
Cruikshank, W.W. *See* Rand, Cruikshank, Center, and Weller.
Czop, J.K., and Kay, J. Isolation and characterization of β-glucan receptors on human mononuclear phagocytes. 1511.

D

Dallman, M.J., Shiho, O., Page, T.H., Wood, K.J., and Morris, P.J. Peripheral tolerance to alloantigen results from altered regulation of the interleukin 2 pathway. 79.
Damico, C.A. *See* Alexander, Damico, Wieties, Hansen, and Connolly.
Damle, N.K. *See* Linsley, Brady, Grosmaire, Aruffo, Damle, and Ledbetter.
Danner, R.L. *See* Martich, Danner, Ceska, and Suffredini.
Davidson, J.M. *See* Fava, Olsen, Postlethwaite, Broadley, Davidson, Nanney, Lucas, and Townes.
Davies, J.D., Wilson, D.H., Butcher, G.W., and Wilson, D.B. Generation of T cells with lytic specificity for atypical antigens. II. A novel antigen system in the rat dependent on homozygous expression of major histocompatibility complex genes of the class I–like *RT1C* region. 833.
—, Wilson, D.H., Hermel, E., Lindahl, K.F., Butcher, G.W., and Wilson, D.B. Generation of T cells with lytic specificity for atypical antigens. I. A mitochondrial antigen in the rat. 823.
—, Wilson, D.H., and Wilson D.B. Generation of T cells with lytic specificity for atypical antigens. III. Priming F_1 animals with antigen-bearing cells also having reactivity for host alloantigens allows for potent lytic T cell responses. 841.
Davis, D.D., Yoshida, K., Kingsbury, L., and Sakano, H. Circular DNA resulting from recombination between V-(D)-J joining signals and switch repetitive sequences in mouse thymocytes. 743.
de Alborán, I.M. *See* Andreu-Sánchez, de Alborán, Marcos, Sánchez-Movilla, Martínez-A, and Kroemer.
de Cordoba, S.R., Sanchez-Corral, P., and Rey-Campos, J. Structure of the gene coding for the α polypeptide chain of the human complement component C4b-binding protein. 1073.
Dejana, E. *See* Allavena, Paganin, Martin-Padura, Peri, Gaboli, Dejana, Marchisio, and Mantovani.
de la Hera, A., Müller, U., Olsson, C., Isaaz, S., and Tunnacliffe, A. Structure of the T cell antigen receptor (TCR): two CD3ε subunits in a functional TCR/CD3 complex. 7.
Del Giudice, G. *See* Naotunne, Karunaweera, Del Giudice, Kularatne, Grau, Carter, and Mendis.
De Libero, G., Casorati, G., Giachino, C., Carbonara, C., Migone, N., Matzinger, P., and Lanzavecchia, A. Selection by two powerful antigens may account for the presence of the major population of human peripheral γ/δ T cells. 1311.
Del Porto, P., Mami-Chouaib, F., Bruneau, J.-M., Jitsukawa, S., Dumas, J., Harnois, M., and Hercend, T. TCT.1, a target molecule for γ/δ T cells, is encoded by an immunoglobulin superfamily gene (Blast-1) located in the CD1 region of human chromosome 1. 1339.
De Plaen, E. *See* Van den Eynde, Lethé, Van Pel, De Plaen, and Boon.
Derksen, R.H.W.M. *See* van Es, Gmelig Meyling, van de Akker, Aanstoot, Derksen, and Logtenberg.
Derse-Anthony, C.P. *See* Bochner, Luscinskas, Gimbrone, Newman, Sterbinsky, Derse-Anthony, Klunk, and Schleimer.
Desgranges, C. *See* Boyer, Desgranges, Trabaud, Fischer, and Kazatchkine.
Detmers, P.A. *See* Wright, Ramos, Hermanowski-Vosatka, Rockwell, and Detmers.
de Vries, J.E. *See* Gascan, Gauchat, Roncarolo, Yssel, Spits, and de Vries.
de Vries, P., Brasel, K.A., Eisenman, J.R., Alpert, A.R., and Williams, D.E. The effect of recombinant mast cell growth factor on purified murine hematopoietic stem cells. 1205.
Dewald, B. *See* Bazzoni, Cassatella, Rossi, Ceska, Dewald, and Baggiolini.
Dhar, V. *See* Thompson-Snipes, Dhar, Bond, Mosmann, Moore, and Rennick.
Diamantstein, T. *See* Blankenstein, Qin, Überla, Müller, Rosen, Volk, and Diamantstein.
Diamond, B. *See* Shefner, Kleiner, Turken, Papazian, and Diamond.
Doherty, G.M. *See* Alexander, Doherty, Buresh, Venzon, and Norton.
Doi, T., Striker, L.J., Kimata, K., Peten, E.P., Yamada, Y., and Striker, G.E. Glomerulosclerosis in mice transgenic for growth hormone. Increased mesangial extracellular matrix is correlated with kidney mRNA levels. 1287.
Dooijes, D. *See* Oosterwegel, van de Wetering, Dooijes, Klomp, Winoto, Georgopoulos, Meijlink, and Clevers.
Drexler, K. *See* Lehmann, Drexler, Tary-Lehmann, Falcioni, Hurtenbach, and Nagy.
Druez, C. *See* Uyttenhove, Druez, Renauld, Hérin, Noël, and Van Snick.
Dumas, J. *See* Del Porto, Mami-Chouaib, Bruneau, Jitsukawa, Dumas, Harnois, and Hercend.
Dumont, F. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Dunlap, B.E. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Dupont, B. *See* Koulova, Clark, Shu, and Dupont.
Durette, P. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Durham, S.R. *See* Kay, Ying, Varney, Gaga, Durham, Moqbel, Wardlaw, and Hamid.

E

Egea, E., Iglesias, A., Salazar, M., Morimoto, C., Kruskall, M.S., Awdeh, Z., Schlossman, S.F., Alper, C.A., and Yunis, E.J. The cellular basis for lack of antibody response to hepatitis B vaccine in humans. 531.
Egerton, M. *See* Shortman, Vremec, and Egerton.
Ehlers, S., and Smith, K.A. Differentiation of T cell lymphokine gene expression: the in vitro acquisition of T cell memory. 25.
Eid, P. *See* Gresser, Carnaud, Maury, Sala, Eid, Woodrow, Maunoury, and Belardelli.
Eisenberg, R.A. *See* Sobel, Katagiri, Katagiri, Morris, Cohen, and Eisenberg.
Eisenman, J.R. *See* de Vries, Brasel, Eisenman, Alpert, and Williams.
Ellingsworth, L. *See* Wahl, Allen, McCartney-Francis, Morganti-Kossmann, Kossmann, Ellingsworth, Mai, Mergenhagen, and Orenstein.
Engleman, E.G. *See* Suzuki, Suzuki, and Engleman.
Evans, R.J. and Hollis, G.F. Genomic structure of the human Igλ1 gene suggests that it may be expressed as an Igλ14.1-like protein or as a canonical B cell Igλ light chain: implications for Igλ gene evolution. 305.

F

Falcioni, F. *See* Lehmann, Drexler, Tary-Lehmann, Falcioni, Hurtenbach, and Nagy.
Falkenburg, J.H.F. *See* Marijt, Veenhof, Brand, Goulmy, Fibbe, Willemze, van Rood, and Falkenburg.
Farber, J.M. *See* Wright and Farber.
Fathman, C.G. *See* Alters, Shizuru, Ackerman, Grossman, Seydel, and Fathman.
Fauci, A.S. *See* Pantaleo, Butini, Graziosi, Poli, Schnittman, Greenhouse, Gallin, and Fauci.
— *See* Poli, Kinter, Justement, Bressler, Kehrl, and Fauci.
— *See* Rieckmann, Poli, Kehrl, and Fauci.
— *See* Wilson, Fox, Fauci, and Kehrl.
Fava, R.A., Olsen, N.J., Postlethwaite, A.E., Broadley, K.N., Davidson, J.M., Nanney, L.B., Lucas, C., and Townes, A.S. Transforming growth factor β_1 (TGF-β1) induced neutrophil recruitment to synovial tissues: implications for TGF-β-driven synovial inflammation and hyperplasia. 1121.
Favre, A. *See* Giunta, Favre, Ramarli, Grossi, and Corte.
Fearon, D.T. *See* Matsumoto, Kopicky-Burd, Carter, Tuveson, Tedder, and Fearon.
— *See* Tuveson, Ahearn, Matsumoto, and Fearon.
Fenoglio, D. *See* Manca, Fenoglio, Li Pira, Kunkl, and Celada.
Ferrari, G. *See* Colombo, Ferrari, Stoppacciaro, Parenza, Rodolfo, Mavilio, and Parmiani.
Fibbe, W.E. *See* Marijt, Veenhof, Brand, Goulmy, Fibbe, Willemze, van Rood, and Falkenburg.
Fiera, R. *See* Bateman, Fiera, Matthews, and Morris.
Fischer, E. *See* Boyer, Desgranges, Trabaud, Fischer, and Kazatchkine.
Fish, S., Fleming, M., Sharon, J., and Manser, T. Different epitope structures select distinct mutant forms of an antibody variable region for expression during the immune response. 665.
Fleming, M. *See* Fish, Fleming, Sharon, and Manser.
Flerlage, M. *See* Martin, Howell, Jaraquemada, Flerlage, Richert, Brostoff, Long, McFarlin, and McFarland.
Forbush, K.A. *See* Abraham, Levin, Marth, Forbush, and Perlmutter.
— *See* Lewis, Yu, Forbush, Carpenter, Sato, Grossman, Liggitt, and Perlmutter.
Forbush, K.A. *See* Wildin, Garvin, Pawar, Lewis, Abraham, Forbush, Ziegler, Allen, and Perlmutter.
Forman, M.S., and Puré, E. T-independent and T-dependent B lymphoblasts: helper T cells prime for interleukin 2–induced growth and secretion of immunoglobulins that utilize downstream heavy chains. 687.
Fox, C.H. *See* Wilson, Fox, Fauci, and Kehrl.
Fritsche, T.R. *See* Yong, Chi, Fritsche, and Henderson.
Fukuda, M. *See* Peters, Borst, Oorschot, Fukuda, Krähenbühl, Tschopp, Slot, and Geuze.
— *See* Piller, Le Deist, Weinberg, Parkman, and Fukuda.
Fukunaga, R. *See* Kinashi, Lee, Ogawa, Tohyama, Tashiro, Fukunaga, Nagata, and Honjo.
Funato, N. *See* Lee, Kinashi, Tohyama, Tashiro, Funato, Hama, and Honjo.
Furze, J. *See* Vitiello, Marchesini, Furze, Sherman, and Chesnut.
Förster, I. *See* Gu, Tarlinton, Müller, Rajewsky, and Förster.

G

Gaboli, M. *See* Allavena, Paganin, Martin-Padura, Peri, Gaboli, Dejana, Marchisio, and Mantovani.
Gabriele, L. *See* Ciolli, Gabriele, Sestili, Varano, Proietti, Gresser, Testa, Montesoro, Bulgarini, Mariani, Peschle, and Belardelli.
Gadina, M., Bertini, R., Mengozzi, M., Zandalasini, M., Mantovani, A., and Ghezzi, P. Protective effect of chlorpromazine on endotoxin toxicity and TNF production in glucocorticoid-sensitive and glucocorticoid-resistant models of endotoxic shock. 1305.
Gaga, M. *See* Kay, Ying, Varney, Gaga, Durham, Moqbel, Wardlaw, and Hamid.
Galilly, R. *See* Sampaio, Sarno, Galilly, Cohn, and Kaplan.
Gallin, J.I. *See* Pantaleo, Butini, Graziosi, Poli, Schnittman, Greenhouse, Gallin, and Fauci.
Gammon, G., Geysen, H.M., Apple, R.J., Pickett, E., Palmer, M., Ametani, A., and Sercarz, E.E. T cell determinant structure: cores and determinant envelopes in three mouse major histocompatibility complex haplotypes. 609.
Garcia, E. *See* Rousset, Garcia, and Banchereau.
Garvin, A.M. *See* Wildin, Garvin, Pawar, Lewis, Abraham, Forbush, Ziegler, Allen, and Perlmutter.
Gascan, H., Gauchat, J.-F., Roncarolo, M.-G., Yssel, H., Spits, H., and de Vries, J.E. Human B cell clones can be induced to proliferate and to switch to IgE and IgG4 synthesis by interleukin 4 and a signal provided by activated CD4$^+$ T cell clones. 747.
Gauchat, J.-F. *See* Gascan, Gauchat, Roncarolo, Yssel, Spits, and de Vries.
Geha, R.S. *See* Sékaly, Croteau, Bowman, Scholl, Burakoff, and Geha.
Georgopoulos, K. *See* Oosterwegel, van de Wetering, Dooijes, Klomp, Winoto, Georgopoulos, Meijlink, and Clevers.
Geuze, H.J. *See* Peters, Borst, Oorschot, Fukuda, Krähenbühl, Tschopp, Slot, and Geuze.
Geysen, H.M. *See* Gammon, Geysen, Apple, Pickett, Palmer, Ametani, and Sercarz.
Ghezzi, P. *See* Gadina, Bertini, Mengozzi, Zandalasini, Mantovani, and Ghezzi.
Giachino, C. *See* De Libero, Casorati, Giachino, Carbonara, Migone, Matzinger, and Lanzavecchia.
Gimbrone, M.A., Jr. *See* Bochner, Luscinskas, Gimbrone, Newman, Sterbinsky, Derse-Anthony, Klunk, and Schleimer.
Giunta, M., Favre, A., Ramarli, D., Grossi, C.E., and Corte, G. A novel integrin involved in thymocyte–thymic epithelial cell interactions. 1537.
Gmelig Meyling, F.H.J. *See* van Es, Gmelig Meyling, van de Akker, Aanstoot, Derksen, and Logtenberg.
Goldberg, D.E., Slater, A.F.G., Beavis, R., Chait, B., Cerami, A., and Henderson, G.B. Hemoglobin degradation in the human malaria pathogen *Plasmodium falciparum*: a catabolic pathway initiated by a specific aspartic protease. 961.
Goldfien, R.D. *See* Seaman, Niemi, Stark, Goldfien, Pollock, and Imboden.
Goldfine, H. *See* Camilli, Goldfine, and Portnoy.
Gorka, J. *See* Lie, Myers, Connolly, Gorka, Lee, and Hansen.
Goulmy, E. *See* Marijt, Veenhof, Brand, Goulmy, Fibbe, Willemze, van Rood, and Falkenburg.
Grabstein, K.H. *See* Alderson, Tough, Ziegler, and Grabstein.
Grau, G.E. *See* Naotunne, Karunaweera, Del Giudice, Kularatne, Grau, Carter, and Mendis.
— *See* Piguet, Grau, Hauser, and Vassalli.
Graziosi, C. *See* Pantaleo, Butini, Graziosi, Poli, Schnittman, Greenhouse, Gallin, and Fauci.
Greenberger, J.S. *See* Miyake, Weissman, Greenberger, and Kincade.
Greenhouse, J.J. *See* Pantaleo, Butini, Graziosi, Poli, Schnittman, Greenhouse, Gallin, and Fauci.
Greiner, D.L. *See* Nelson, Greiner, Shultz, and Rajan.
Gresser I., Carnaud, C., Maury, C., Sala, A., Eid, P., Woodrow, D., Maunoury, M.-T., and Belardelli, F. Host humoral and cellular immune mechanisms in the continued suppression of Friend erythroleukemia metastases after interferon α/β treatment in mice. 1193.
— *See* Ciolli, Gabriele, Sestili, Varano, Proietti, Gresser, Testa, Montesoro, Bulgarini, Mariani, Peschle, and Belardelli.
Griffiths, G. *See* Pelchen-Matthews, Armes, Griffiths, and Marsh.
Grosmaire, L. *See* Linsley, Brady, Grosmaire, Aruffo, Damle, and Ledbetter.
Grossi, C.E. *See* Giunta, Favre, Ramarli, Grossi, and Corte.
Grossman, A. *See* Lewis, Yu, Forbush, Carpenter, Sato, Grossman, Liggitt, and Perlmutter.
Grossman, D. *See* Alters, Shizuru, Ackerman, Grossman, Seydel, and Fathman.
Grzych, J.-M. *See* Pearce, Caspar, Grzych, Lewis, and Sher.
Gu, H., Tarlinton, D., Müller, W., Rajewsky, K., and Förster, I. Most peripheral B cells in mice are ligand selected. 1357.
Gupta, J.W. *See* Chan, Perussia, Gupta, Kobayashi, Pospíšil, Young, Wolf, Young, Clark, and Trinchieri.

Guy-Grand, D., Cerf-Bensussan, N., Malissen, B., Malassis-Seris, M., Briottet, C., and Vassali, P. Two gut intraepithelial $CD8^+$ lymphocyte populations with different T cell receptors: a role for the gut epithelium in T cell differentiation. 471.

—, Malassis-Seris, M., Briottet, C., and Vassalli, P. Cytotoxic differentiation of mouse gut thymodependent and independent intraepithelial T lymphocytes is induced locally. Correlation between functional assays, presence of perforin and granzyme transcripts, and cytoplasmic granules. 1549.

— *See* Rocha, Vassalli, and Guy-Grand.

Gyotoku, J.-I. *See* Mazda, Watanabe, Gyotoku, and Katsura.

H

Hama, K. *See* Lee, Kinashi, Tohyama, Tashiro, Funato, Hama, and Honjo.

Hamasima, N. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.

Hamid, Q. *See* Kay, Ying, Varney, Gaga, Durham, Moqbel, Wardlaw, and Hamid.

Han, H. *See* Shimizu, Nussenzweig, Han, Sanchez, and Honjo.

Hancock, G.E. *See* Kaplan, Britton, Hancock, Theuvenet, Smith, Job, Roche, Molloy, Burkhardt, Barker, Pradhan, and Cohn.

Hansen, T.H. *See* Alexander, Damico, Wieties, Hansen, and Connolly.

— *See* Lie, Myers, Connolly, Gorka, Lee, and Hansen.

Harada, K., and Yamagishi, H. Lack of feedback inhibition of $V\kappa$ gene rearrangement by productively rearranged alleles. 409.

Hardin, J.A. *See* Lin, Mamula, Hardin, and Janeway.

Hardy, R.R., Carmack, C.E., Shinton, S.A., Kemp, J.D., and Hayakawa, K. Resolution and characterization of pro-B and pre–pro-B cell stages in normal mouse bone marrow. 1213.

Harmsen, A.G. *See* Hill and Harmsen.

Harnois, M. *See* Del Porto, Mami-Chouaib, Bruneau, Jitsukawa, Dumas, Harnois, and Hercend.

Hauser, C. *See* Piguet, Grau, Hauser, and Vassalli.

HayGlass, K.T., and Stefura, B.P. Anti–interferon γ treatment blocks the ability of glutaraldehyde-polymerized allergens to inhibit specific IgE responses. 279.

Hayakawa, K. *See* Hardy, Carmack, Shinton, Kemp, and Hayakawa.

Haynes, B.F. *See* Barry, Jones, Richter, and Haynes.

He, H.-T., Naquet, P., Caillol, D., and Pierres, M. Thy-1 supports adhesion of mouse thymocytes to thymic epithelial cells through a Ca^{2+}-independent mechanism. 515.

Hedrick, J.A. *See* Watry, Hedrick, Siervo, Rhodes, Lambert, Lambris, and Tsoukas.

Heimfeld, S. *See* Kina, Majumdar, Heimfeld, Kaneshima, Holzmann, Katsura, and Weissman.

Henderson, G.B. *See* Goldberg, Slater, Beavis, Chait, Cerami, and Henderson.

Henderson, S. *See* Rowe, Young, Crocker, Stokes, Henderson, and Rickinson.

Henderson, W.R., Jr. *See* Yong, Chi, Fritsche, and Henderson.

Hercend, T. *See* Del Porto, Mami-Chouaib, Bruneau, Jitsukawa, Dumas, Harnois, and Hercend.

Hérin, M. *See* Uyttenhove, Druez, Renauld, Hérin, Noël, and Van Snick.

Hermanowski-Vosatka, A. *See* Wright, Ramos, Hermanowski-Vosatka, Rockwell, and Detmers.

Hermel, E. *See* Davies, Wilson, Hermel, Lindahl, Butcher, and Wilson.

Higgins, K.W. *See* Klinman, Higgins, and Conover.

Hill, H.R., Augustine, N.H., and Jaffe, H.S. Human recombinant interferon γ enhances neonatal polymorphonuclear leukocyte activation and movement, and increases free intracellular calcium. 767.

Hill, J.O., and Harmsen, A.G. Intrapulmonary growth and dissemination of an avirulent strain of *Cryptococcus neoformans* in mice depleted of $CD4^+$ or $CD8^+$ T cells. 755.

Himeno, K. *See* Matsumoto, Yoshikai, Asano, Himeno, Iwasaki, and Nomoto.

Hitoshi, Y. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.

Hollis, G.F. *See* Evans and Hollis.

Holoshitz, J. *See* Koizumi, Liu, Zheng, Joag, Bayne, Holoshitz, and Young.

Holt, P.G. *See* Schon-Hegrad, Oliver, McMenamin, and Holt.

Holzmann, B. *See* Kina, Majumdar, Heimfeld, Kaneshima, Holzmann, Katsura, and Weissman.

Honjo, T. *See* Kinashi, Lee, Ogawa, Tohyama, Tashiro, Fukunaga, Nagata, and Honjo.

— *See* Lee, Kinashi, Tohyama, Tashiro, Funato, Hama, and Honjo.

— *See* Shimizu, Nussenzweig, Han, Sanchez, and Honjo.

Honold, G. *See* Messer, Spengler, Jung, Honold, Blömer, Pape, Riethmüller, and Weiss.

Hopman, C.T.P. *See* Weel, Hopman, and van Putten.

Hosono, M. *See* Inaba, Inaba, Hosono, Kumamoto, Ishida, Muramatsu, Masuda, and Ikehara.

Hosoya, Y. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.

Houchins, J.P., Yabe, T., McSherry, C., and Bach, F.H. DNA sequence analysis of NKG2, a family of related cDNA clones encoding type II integral membrane proteins on human natural killer cells. 1017.

Houlden, B.A. *See* Rellahan, Bluestone, Houlden, Cotterman, and Matis.

Howard, J.C. *See* Powis, Howard, and Butcher.

Howell, M.D. *See* Martin, Howell, Jaraquemada, Flerlage, Richert, Brostoff, Long, McFarlin, and McFarland.

Huang, R. *See* Martin, Huang, LeBien, and Van Ness.

Huffnagle, G.B., Yates, J.L., and Lipscomb, M.F. Immunity to a pulmonary *Cryptococcus neoformans* infection requires both $CD4^+$ and $CD8^+$ T cells. 793.

Humphries, C.G. *See* Berman, Humphries, Barth, Alt, and Tucker.

Hünig, T., and Mitnacht, R. T cell receptor–mediated selection of functional rat CD8 T cells from defined immature thymocyte precursors in short-term suspension culture. 561.

Hurtenbach, U. *See* Lehmann, Drexler, Tary-Lehmann, Falcioni, Hurtenbach, and Nagy.

I

Iglesias, A. *See* Egea, Iglesias, Salazar, Morimoto, Kruskall, Awdeh, Schlossman, Alper, and Yunis.

Ikehara, S. *See* Inaba, Inaba, Hosono, Kumamoto, Ishida, Muramatsu, Masuda, and Ikehara.

Imboden, J.B. *See* Seaman, Niemi, Stark, Goldfien, Pollock, and Imboden.

Inaba, K. *See* Inaba, Inaba, Hosono, Kumamoto, Ishida, Muramatsu, Masuda, and Ikehara.

Inaba, M., Inaba, K., Hosono, M., Kumamoto, T., Ishida, T., Muramatsu, S., Masuda, T., and Ikehara, S. Distinct mechanisms of neonatal tolerance induced by dendritic cells and thymic B cells. 549.

Isaaz, S. *See* de la Hera, Müller, Olsson, Isaaz, and Tunnacliffe.

Ishida, T. *See* Inaba, Inaba, Hosono, Kumamoto, Ishida, Muramatsu, Masuda, and Ikehara.

Iwasaki, A. *See* Matsumoto, Yoshikai, Asano, Himeno, Iwasaki, and Nomoto.

Iwasato, T. *See* Shimizu, Iwasato, and Yamagishi.

J

Jacob, J., Kassir, R., and Kelsoe, G. In situ studies of the primary immune response to (4-hydroxy-3-nitrophenyl)acetyl. I. The architecture and dynamics of responding cell populations. 1165.

Jaffe, H.S. *See* Hill, Augustine, and Jaffe.

Janeway, C.A., Jr. *See* Lin, Mamula, Hardin, and Janeway.

Janssen, O. *See* Kabelitz, Bender, Prospero, Wesselborg, Janssen, and Pechhold.

— *See* Wesselborg, Janssen, Pechhold, and Kabelitz. 297.

Jaraquemada, D. *See* Martin, Howell, Jaraquemada, Flerlage, Richert, Brostoff, Long, McFarlin, and McFarland.

Jitsukawa, S. *See* Del Porto, Mami-Chouaib, Bruneau, Jitsukawa, Dumas, Harnois, and Hercend.

Joag, S.V. *See* Koizumi, Liu, Zheng, Joag, Bayne, Holoshitz, and Young.
Job, C.K. *See* Kaplan, Britton, Hancock, Theuvenet, Smith, Job, Roche, Molloy, Burkhardt, Barker, Pradhan, and Cohn.
Johnson, D.C. *See* Silverstein, Turley, Christoffersen, Johnson, and Morrison.
Jones, D.M. *See* Barry, Jones, Richter, and Haynes.
Jung, M.C. *See* Messer, Spengler, Jung, Honold, Blömer, Pape, Riethmüller, and Weiss.
Jung, S., and Schluesener, H.J. Human T lymphocytes recognize a peptide of single point–mutated, oncogenic ras proteins. 273.
Justement, J.S. *See* Poli, Kinter, Justement, Bressler, Kehrl, and Fauci.

K

Kabelitz, D., Bender, A., Prospero, T., Wesselborg, S., Janssen, O., and Pechhold, K. The primary response of human γ/δ^+ T cells to *Mycobacterium tuberculosis* is restricted to Vγ9-bearing cells. 1331.
— *See* Wesselborg, Janssen, Pechhold, and Kabelitz.
Kaffka, K.L. *See* McIntyre, Stepan, Kolinsky, Benjamin, Plocinski, Kaffka, Campen, Chizzonite, and Kilian.
Kanai, Y. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.
Kane, K.P. *See* O'Rourke, Apgar, Kane, Martz, and Mescher.
Kaneshima, H. *See* Kina, Majumdar, Heimfeld, Kaneshima, Holzmann, Katsura, and Weissman.
Kaplan, G., Britton, W.J., Hancock, G.E., Theuvenet, W.J., Smith, K.A., Job, C.K., Roche, P.W., Molloy, A., Burkhardt, R., Barker, J., Pradhan, H.M., and Cohn, Z.A. The systemic influence of recombinant interleukin 2 on the manifestations of lepromatous leprosy. 993.
— *See* Sampaio, Sarno, Galilly, Cohn, and Kaplan.
Kappler, J.W. *See* Pullen, Bill, Kubo, Marrack, and Kappler.
Karunaweera, N.D. *See* Naotunne, Karunaweera, Del Giudice, Kularatne, Grau, Carter, and Mendis.
Kassir, R. *See* Jacob, Kassir, and Kelsoe.
Katagiri, K. *See* Sobel, Katagiri, Katagiri, Morris, Cohen, and Eisenberg.
Katagiri, T. *See* Sobel, Katagiri, Katagiri, Morris, Cohen, and Eisenberg.
Katoh, S. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.
Katsura, Y. *See* Kina, Majumdar, Heimfeld, Kaneshima, Holzmann, Katsura, and Weissman.
— *See* Mazda, Watanabe, Gyotoku, and Katsura.
Kawai, M., Obata, Y., Hamasima, N., Takahashi, T., Uenaka, A., Monden, M., Mori, T., Shiku, H., and Nakayama, E. Differential involvement of $CD4^+$ cells in mediating skin graft rejection against different amounts of transgenic H-2K_b antigen. 261.
Kay, A.B., Ying, S., Varney, V., Gaga, M., Durham, S.R., Moqbel, R., Wardlaw, A.J., and Hamid, Q. Messenger RNA expression of the cytokine gene cluster, interleukin 3 (IL-3), IL-4, IL-5, and granulocyte/macrophage colony-stimulating factor, in allergen-induced late-phase cutaneous reactions in atopic subjects. 775.
Kay, J. *See* Czop and Kay.
Kazatchkine, M.D. *See* Boyer, Desgranges, Trabaud, Fischer, and Kazatchkine.
Kehn, P.J. *See* Roberts, Yokoyama, Kehn, and Shevach.
Kehrl, J.H. *See* Poli, Kinter, Justement, Bressler, Kehrl, and Fauci.
— *See* Rieckmann, Poli, Kehrl, and Fauci.
— *See* Wilson, Fox, Fauci, and Kehrl.
Kelsoe, G. *See* Jacob, Kassir, and Kelsoe.
Kemp, J.D. *See* Hardy, Carmack, Shinton, Kemp, and Hayakawa.
Kennedy, M.A. Novel chromosome translocation caused by fusion of immunoglobulin heavy and light chain V genes in a human B lymphoblastoid cell line. 1033.
Kikutani, H. *See* Nakano, Kikutani, Nishimoto, and Kishimoto.
Kilian, P.L. *See* McIntyre, Stepan, Kolinsky, Benjamin, Plocinski, Kaffka, Campen, Chizzonite, and Kilian.
Kim, K.-K. *See* Youn, Liu, Kim, Young, Kwon, and Kwon.
Kimata, K. *See* Doi, Striker, Kimata, Peten, Yamada, and Striker.
Kina, T., Majumdar, A.S., Heimfeld, S., Kaneshima, H., Holzmann, B., Katsura, Y., and Weissman, I.L. Identification of a 107-kD glycoprotein that mediates adhesion between stromal cells and hematolymphoid cells. 373.
Kinashi, T., Lee, K.H., Ogawa, M., Tohyama, K., Tashiro, K., Fukunaga, R., Nagata, S., and Honjo, T. Premature expression of the macrophage colony-stimulating factor receptor on a multipotential stem cell line does not alter differentiation lineages controlled by stromal cells used for coculture. 1267.
— *See* Lee, Kinashi, Tohyama, Tashiro, Funato, Hama, and Honjo.
Kincade, P.W. *See* Miyake, Weissman, Greenberger, and Kincade.
Kingsbury, L. *See* Davis, Yoshida, Kingsbury, and Sakano.
Kinter, A.L. *See* Poli, Kinter, Justement, Bressler, Kehrl, and Fauci.
Kishimoto, T. *See* Nakano, Kikutani, Nishimoto, and Kishimoto.
Kleiner, G. *See* Shefner, Kleiner, Turken, Papazian, and Diamond.
Klinman, D.M., Higgins, K.W., and Conover, J. Sequential immunizations with rgp120s from independent isolates of human immunodeficiency virus type 1 induce the preferential expansion of broadly crossreactive B cells. 881.
Klomp, L. *See* Oosterwegel, van de Wetering, Dooijes, Klomp, Winoto, Georgopoulos, Meijlink, and Clevers.
Klunk, D. *See* Bochner, Luscinskas, Gimbrone, Newman, Sterbinsky, Derse-Anthony, Klunk, and Schleimer.
Kobayashi, M. *See* Chan, Perussia, Gupta, Kobayashi, Pospíšil, Young, Wolf, Young, Clark, and Trinchieri.
Kodama, H., Nose, M., Niida, S., and Yamasaki, A. Essential role of macrophage colony-stimulating factor in the osteoclast differentiation supported by stromal cells. 1291.
—, Yamasaki, A., Nose, M., Niida, S., Ohgame, Y., Abe, M., Kumegawa, M., and Suda, T. Congenital osteoclast deficiency in osteopetrotic (*op/op*) mice is cured by injections of macrophage colony-stimulating factor. 269.
Koizumi, H., Liu, C.-C., Zheng, L.M., Joag, S.V., Bayne, N.K., Holoshitz, J., and Young, J.D.-E Expression of perforin and serine esterases by human γ/δ T cells. 499.
Kolinsky, K.D. *See* McIntyre, Stepan, Kolinsky, Benjamin, Plocinski, Kaffka, Campen, Chizzonite, and Kilian.
Koopman, G., Parmentier, H.K., Schuurman, H.-J., Newman, W., Meijer, C.J.L.M., and Pals, S.T. Adhesion of human B cells to follicular dendritic cells involves both the lymphocyte function–associated antigen 1/intercellular adhesion molecule 1 and very late antigen 4/vascular adhesion molecule 1 pathways. 1297.
Kopicky-Burd, J. *See* Matsumoto, Kopicky-Burd, Carter, Tuveson, Tedder, and Fearon.
Koprak, S.L. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Kossmann, T. *See* Wahl, Allen, McCartney-Francis, Morganti-Kossmann, Kossmann, Ellingsworth, Mai, Mergenhagen, and Orenstein.
Koulova, L., Clark, E.A., Shu, G., and Dupont, B. The CD28 ligand B7/BB1 provides costimulatory signal for alloactivation of $CD4^+$ T cells. 759.
Koyama, N. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.
Koyasu, S. *See* Arulanandam, Koyasu, and Reinherz.
Krähenbühl, O. *See* Peters, Borst, Oorschot, Fukuda, Krähenbühl, Tschopp, Slot, and Geuze.
Kraus, T.A. *See* Camp, Kraus, Birkeland, and Puré.
Kroemer, G. *See* Andreu-Sánchez, de Alborán, Marcos, Sánchez-Movilla, Martínez-A, and Kroemer.
Kruskall, M.S. *See* Egea, Iglesias, Salazar, Morimoto, Kruskall, Awdeh, Schlossman, Alper, and Yunis.
Kubo, R.T. *See* Pullen, Bill, Kubo, Marrack, and Kappler.
Kularatne, M.U. *See* Naotunne, Karunaweera, Del Giudice, Kularatne, Grau, Carter, and Mendis.
Kumamoto, T. *See* Inaba, Inaba, Hosono, Kumamoto, Ishida, Muramatsu, Masuda, and Ikehara.
Kumegawa, M. *See* Kodama, Yamasaki, Nose, Niida, Ohgame, Abe, Kumegawa, and Suda.
Kunkl, A. *See* Manca, Fenoglio, Li Pira, Kunkl, and Celada.
Kwon, B.S. *See* Youn, Liu, Kim, Young, Kwon, and Kwon.
Kwon, M.H. *See* Youn, Liu, Kim, Young, Kwon, and Kwon.
Kyriakos, M. *See* Braley-Mullen, Sharp, Bickel, and Kyriakos.

L

Lambert, J.J. *See* Watry, Hedrick, Siervo, Rhodes, Lambert, Lambris, and Tsoukas.

Lambris, J.D. *See* Watry, Hedrick, Siervo, Rhodes, Lambert, Lambris, and Tsoukas.

Lanzavecchia, A. *See* De Libero, Casorati, Giachino, Carbonara, Migone, Matzinger, and Lanzavecchia.

— *See* Roosnek and Lanzavecchia.

Lavin, M.F. *See* Moss, Burrows, Baxter, and Lavin.

LeBien, T. *See* Martin, Huang, LeBien, and Van Ness.

Ledbetter, J.A. *See* Linsley, Brady, Grosmaire, Aruffo, Damle, and Ledbetter.

Le Deist, F. *See* Piller, Le Deist, Weinberg, Parkman, and Fukuda.

Ledney, G.D. *See* Neta, Oppenheim, Schreiber, Chizzonite, Ledney, and MacVittie.

Lee, D.R. *See* Lie, Myers, Connolly, Gorka, Lee, and Hansen.

Lee, K.H., Kinashi, T., Tohyama, K., Tashiro, K., Funato, N., Hama, K., and Honjo, T. Different stromal cell lines support lineage-selective differentiation of the multipotential bone marrow stem cell clone LyD9. 1257.

— *See* Kinashi, Lee, Ogawa, Tohyama, Tashiro, Fukunaga, Nagata, and Honjo.

Lee, S. *See* Lo, Lee, Ramos, Lobb, Rosa, Chi-Rosso, and Wright.

Lehmann, P.V., Drexler, K., Tary-Lehmann, M., Falcioni, F., Hurtenbach, U., and Nagy, Z.A. Graft-versus-host resistance induced by class II major histocompatibility complex–specific T cell clones. 333.

Leonard, E.J. *See* Skeel, Yoshimura, Showalter, Tanaka, Appella, and Leonard.

Lerner, E. *See* Samuelson, Lerner, Tesh, and Titus.

Lethé, B. *See* Van den Eynde, Lethé, Van Pel, De Plaen, and Boon.

Levin, S.D. *See* Abraham, Levin, Marth, Forbush, and Perlmutter.

Levy, R. *See* Zelenetz, Chen, and Levy.

Lewis, D.B., Yu, C.C., Forbush, K.A., Carpenter, J., Sato, T.A., Grossman, A., Liggitt, D.H., and Perlmutter, R.M. Interleukin 4 expressed in situ selectively alters thymocyte development. 89.

— *See* Wildin, Garvin, Pawar, Lewis, Abraham, Forbush, Ziegler, Allen, and Perlmutter.

Lewis, F.A. *See* Pearce, Caspar, Grzych, Lewis, and Sher.

Li Pira, G. *See* Manca, Fenoglio, Li Pira, Kunkl, and Celada.

Lie, W.-R., Myers, N.B., Connolly, J.M., Gorka, J., Lee, D.R., and Hansen, T.H. The specific binding of peptide ligand to L^d class I major histocompatibility complex molecules determines their antigenic structure. 449.

Liggitt, D.H. *See* Lewis, Yu, Forbush, Carpenter, Sato, Grossman, Liggitt, and Perlmutter.

Lin, R.-H., Mamula, M.J., Hardin, J.A., and Janeway, C.A., Jr. Induction of autoreactive B cells allows priming of autoreactive T cells. 1433.

Lindahl, K.F. *See* Davies, Wilson, Hermel, Lindahl, Butcher, and Wilson.

Linsley, P.S., Brady, W., Grosmaire, L., Aruffo, A., Damle, N.K., and Ledbetter, J.A. Binding of the B cell activation antigen B7 to CD28 costimulates T cell proliferation and interleukin 2 mRNA accumulation. 721.

Lipscomb, M.F. *See* Huffnagle, Yates, and Lipscomb.

Liu, C.-C. *See* Koizumi, Liu, Zheng, Joag, Bayne, Holoshitz, and Young.

— *See* Youn, Liu, Kim, Young, Kwon, and Kwon.

Lo, S.K., Lee, S., Ramos, R.A., Lobb, R., Rosa, M., Chi-Rosso, G., and Wright, S.D. Endothelial-leukocyte adhesion molecule 1 stimulates the adhesive activity of leukocyte integrin CR3 (CD11b/CD18, Mac-1, $\alpha_m\beta_2$) on human neutrophils. 1493.

Lobb, R. *See* Lo, Lee, Ramos, Lobb, Rosa, Chi-Rosso, and Wright.

Logtenberg, T. *See* van Es, Gmelig Meyling, van de Akker, Aanstoot, Derksen, and Logtenberg.

Long, E.O. *See* Martin, Howell, Jaraquemada, Flerlage, Richert, Brostoff, Long, McFarlin, and McFarland.

Lucas, C. *See* Fava, Olsen, Postlethwaite, Broadley, Davidson, Nanney, Lucas, and Townes.

Luscinskas, F.W. *See* Bochner, Luscinskas, Gimbrone, Newman, Sterbinsky, Derse-Anthony, Klunk, and Schleimer.

Lustgarten, D.L. *See* Behar, Lustgarten, Corbet, and Scharff.

Luzzi, G.A., Merry, A.H., Newbold, C.I., Marsh, K., Pasvol, G., and Weatherall, D.J. Surface antigen expression on *Plasmodium falciparum*–infected erythrocytes is modified in α- and β-thalassemia. 785.

M

McCartney-Francis, N. *See* Wahl, Allen, McCartney-Francis, Morganti-Kossmann, Kossmann, Ellingsworth, Mai, Mergenhagen, and Orenstein.

MacDonald, H.R. *See* Chvatchko and MacDonald.

McFarland, H.F. *See* Martin, Howell, Jaraquemada, Flerlage, Richert, Brostoff, Long, McFarlin, and McFarland.

McFarlin, D.E. *See* Martin, Howell, Jaraquemada, Flerlage, Richert, Brostoff, Long, McFarlin, and McFarland.

McIntyre, K.W., Stepan, G.J., Kolinsky, K.D., Benjamin, W.R., Plocinski, J.M., Kaffka, K.L., Campen, C.A., Chizzonite, R.A., and Kilian, P.L. Inhibition of interleukin 1 (IL-1) binding and bioactivity in vitro and modulation of acute inflammation in vivo by IL-1 receptor antagonist and anti-IL-1 receptor monoclonal antibody. 931.

McMenamin, P.G. *See* Schon-Hegrad, Oliver, McMenamin, and Holt.

McMichael, A.J. *See* Robbins and McMichael.

McSherry, C. *See* Houchins, Yabe, McSherry, and Bach.

MacVittie, T.J. *See* Neta, Oppenheim, Schreiber, Chizzonite, Ledney, and MacVittie.

Mahoney, J.R., Jr. *See* Slungaard and Mahoney.

Mai, U.E.H. *See* Wahl, Allen, McCartney-Francis, Morganti-Kossmann, Kossmann, Ellingsworth, Mai, Mergenhagen, and Orenstein.

Majumdar, A.S. *See* Kina, Majumdar, Heimfeld, Kaneshima, Holzmann, Katsura, and Weismann.

Malassis-Seris, M. *See* Guy-Grand, Cerf-Bensussan, Malissen, Malassis-Seris, Briottet, and Vassali.

— *See* Guy-Grand, Malassis-Seris, Briottet, and Vassalli.

Malissen, B. *See* Guy-Grand, Cerf-Bensussan, Malissen, Malassis-Seris, Briottet, and Vassali.

Mami-Couaib, F. *See* Del Porto, Mami-Chouaib, Bruneau, Jitsukawa, Dumas, Harnois, and Hercend.

Mamula, M.J. *See* Lin, Mamula, Hardin, and Janeway.

Manca, F., Fenoglio, D., Li Pira, G., Kunkl, A., and Celada, F. Effect of antigen/antibody ratio on macrophage uptake, processing, and presentation to T cells of antigen complexed with polyclonal antibodies. 37.

Maniero, T.G. *See* Rosenberg, Munitz, Maniero, and Singer.

Manser, T. *See* Fish, Fleming, Sharon, and Manser.

Mantovani, A. *See* Allavena, Paganin, Martin-Padura, Peri, Gaboli, Dejana, Marchisio, and Mantovani.

— *See* Gadina, Bertini, Mengozzi, Zandalasini, Mantovani, and Ghezzi.

Marchesini, D. *See* Vitiello, Marchesini, Furze, Sherman, and Chesnut.

Marchisio, P.C. *See* Allavena, Paganin, Martin-Padura, Peri, Gaboli, Dejana, Marchisio, and Mantovani.

Marcos, M.A.R. *See* Andreu-Sánchez, de Alborán, Marcos, Sánchez-Movilla, Martínez-A, and Kroemer.

Mariani, G. *See* Ciolli, Gabriele, Sestili, Varano, Proietti, Gresser, Testa, Montesoro, Bulgarini, Mariani, Peschle, and Belardelli.

Marijt, W.A.F., Veenhof, W.F.J., Brand, A., Goulmy, E., Fibbe, W.E., Willemze, R., van Rood, J.J., and Falkenburg, J.H.F. Minor histocompatibility antigen-specific cytotoxic T cell lines, capable of lysing human hematopoietic progenitor cells, can be generated in vitro by stimulation with HLA-identical bone marrow cells. 101.

Marrack, P. *See* Pullen, Bill, Kubo, Marrack, and Kappler.

Marsh, K. *See* Luzzi, Merry, Newbold, Marsh, Pasvol, and Weatherall.

Marsh, M. *See* Pelchen-Matthews, Armes, Griffiths, and Marsh.

Marth, J.D. *See* Abraham, Levin, Marth, Forbush, and Perlmutter.

Martich, G.D., Danner, R.L., Ceska, M., and Suffredini, A.F. Detection of interleukin 8 and tumor necrosis factor in normal humans after intravenous endotoxin: the effect of antiinflammatory agents. 1021.

Martin, D., Huang, R., LeBien, T., and Van Ness, B. Induced rearrangement of κ genes in the BLIN-1 human pre-B cell line correlates with germline J-C_κ and V_κ transcription. 639.

Martin, R., Howell, M.D., Jaraquemada, D., Flerlage, M., Richert, J., Brostoff, S., Long, E.O., McFarlin, D.E., and McFarland, H.F. A myelin basic protein peptide is recognized by cytotoxic T cells in the context of four HLA-DR types associated with multiple sclerosis. 19.
Martin-Padura, I. *See* Allavena, Paganin, Martin-Padura, Peri, Gaboli, Dejana, Marchisio, and Mantovani.
Martz, E. *See* O'Rourke, Apgar, Kane, Martz, and Mescher.
Martínez-A, C. *See* Andreu-Sánchez, de Alborán, Marcos, Sánchez-Movilla, Martínez-A, and Kroemer.
Masuda, T. *See* Inaba, Inaba, Hosono, Kumamoto, Ishida, Muramatsu, Masuda, and Ikehara.
Masur, S.K. *See* Boros, Odin, Muryoi, Masur, Bona, and Unkeless.
Matis, L.A. *See* Rellahan, Bluestone, Houlden, Cotterman, and Matis.
Matsumoto, A.K., Kopicky-Burd, J., Carter, R.H., Tuveson, D.A., Tedder, T.F., and Fearon, D.T. Intersection of the complement and immune systems: a signal transduction complex of the B lymphocyte–containing complement receptor type 2 and CD19. 55.
— *See* Tuveson, Ahearn, Matsumoto, and Fearon.
Matsumoto, K., Yoshikai, Y., Asano, T., Himeno, K., Iwasaki, A., and Nomoto, K. Defect in negative selection in *lpr* donor–derived T cells differentiating in non-*lpr* host thymus. 127.
Matsumoto, R. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.
Matthews, N. *See* Bateman, Fiera, Matthews, and Morris.
Matzinger, P. *See* De Libero, Casorati, Giachino, Carbonara, Migone, Matzinger, and Lanzavecchia.
Maunoury, M.-T. *See* Gresser, Carnaud, Maury, Sala, Eid, Woodrow, Maunoury, and Belardelli.
Maury, C. *See* Gresser, Carnaud, Maury, Sala, Eid, Woodrow, Maunoury, and Belardelli.
Mavilio, F. *See* Colombo, Ferrari, Stoppacciaro, Parenza, Rodolfo, Mavilio, and Parmiani.
Mazda, O., Watanabe, Y., Gyotoku, J.-I., and Katsura, Y. Requirement of dendritic cells and B cells in the clonal deletion of Mls-reactive T cells in the thymus. 539.
Meijer, C.J.L.M. *See* Koopman, Parmentier, Schuurman, Newman, Meijer, and Pals.
Meijlink, F. *See* Oosterwegel, van de Wetering, Dooijes, Klomp, Winoto, Georgopoulos, Meijlink, and Clevers.
Melino, M.R. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Mendis, K.N. *See* Naotunne, Karunaweera, Del Giudice, Kularatne, Grau, Carter, and Mendis.
Mengozzi, M. *See* Gadina, Bertini, Mengozzi, Zandalasini, Mantovani, and Ghezzi.
Mergenhagen, S.E. *See* Wahl, Allen, McCartney-Francis, Morganti-Kossmann, Kossmann, Ellingsworth, Mai, Mergenhagen, and Orenstein.
Merry, A.H. *See* Luzzi, Merry, Newbold, Marsh, Pasvol, and Weatherall.
Mescher, M.F. *See* O'Rourke, Apgar, Kane, Martz, and Mescher.
Messer, G., Spengler, U., Jung, M.C., Honold, G., Blömer, K., Pape, G.R., Riethmüller, G., and Weiss, E.H. Polymorphic structure of the tumor necrosis factor (TNF) locus: an NcoI polymorphism in the first intron of the human TNF-β gene correlates with a variant amino acid in position 26 and a reduced level of TNF-β production. 209.
Migita, M. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.
Migone, N. *See* De Libero, Casorati, Giachino, Carbonara, Migone, Matzinger, and Lanzavecchia.
Mitnacht, R. *See* Hünig and Mitnacht.
Miyake, K., Weissman, I.L., Greenberger, J.S., and Kincade, P.W. Evidence for a role of the integrin VLA-4 in lympho-hemopoiesis. 599.
Miyazaki, J.-I. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.
Molloy, A. *See* Kaplan, Britton, Hancock, Theuvenet, Smith, Job, Roche, Molloy, Burkhardt, Barker, Pradhan, and Cohn.
Monden, M. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Montesoro, E. *See* Ciolli, Gabriele, Sestili, Varano, Proietti, Gresser, Testa, Montesoro, Bulgarini, Mariani, Peschle, and Belardelli.
Moore, K.W. *See* Thompson-Snipes, Dhar, Bond, Mosmann, Moore, and Rennick.
Moqbel, R. *See* Kay, Ying, Varney, Gaga, Durham, Moqbel, Wardlaw, and Hamid.
Morganti-Kossmann, M.C. *See* Wahl, Allen, McCartney-Francis, Morganti-Kossmann, Kossmann, Ellingsworth, Mai, Mergenhagen, and Orenstein.
Mori, T. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Morimoto, C. *See* Egea, Iglesias, Salazar, Morimoto, Kruskall, Awdeh, Schlossman, Alper, and Yunis.
Morris, A.G. *See* Bateman, Fiera, Matthews, and Morris.
Morris, P.J. *See* Dallman, Shiho, Page, Wood, and Morris.
Morris, S.C. *See* Sobel, Katagiri, Katagiri, Morris, Cohen, and Eisenberg.
Morrison, D.C. *See* Silverstein, Turley, Christoffersen, Johnson, and Morrison.
Morrison, S.L. *See* Canfield and Morrison.
— *See* Tao, Canfield, and Morrison.
Mosier, D.E. *See* Riggs, Stowers, and Mosier.
Mosmann, T.R. *See* Thompson-Snipes, Dhar, Bond, Mosmann, Moore, and Rennick.
Moss, D.J., Burrows, S.R., Baxter, G.D., and Lavin, M.F. T cell–T cell killing is induced by specific epitopes: evidence for an apoptotic mechanism. 681.
Mößner, R. *See* Sedgwick, Mößner, Schwender, and ter Meulen.
Moulder, K., Roberts, K. Shevach, E.M., and Coligan, J.E. The mouse vitronectin receptor is a T cell activation antigen. 343.
Moulds, J.J. *See* Moulds, Nickells, Moulds, Brown, and Atkinson.
Moulds, J.M., Nickells, M.W., Moulds, J.J., Brown, M.C., and Atkinson, J.P. The C3b/C4b receptor is recognized by the Knops, McCoy, Swain-Langley, and York blood group antisera. 1159.
Mulé, J.J. *See* Barth, Mulé, Spiess, and Rosenberg.
Munitz, T.I. *See* Rosenberg, Munitz, Maniero, and Singer.
Muramatsu, S. *See* Inaba, Inaba, Hosono, Kumamoto, Ishida, Muramatsu, Masuda, and Ikehara.
Murphy, T.M., Baum, L.L., and Beaman, K.D. Extrahepatic transcription of human C-reactive protein. 495.
Muryoi, T. *See* Boros, Odin, Muryoi, Masur, Bona, and Unkeless.
Myers, N.B. *See* Lie, Myers, Connolly, Gorka, Lee, and Hansen.
Müller, U. *See* de la Hera, Müller, Olsson, Isaaz, and Tunnacliffe.
Müller, W. *See* Blankenstein, Qin, Überla, Müller, Rosen, Volk, and Diamantstein.
— *See* Gu, Tarlinton, Müller, Rajewsky, and Förster.

N

Nagata, S. *See* Kinashi, Lee, Ogawa, Tohyama, Tashiro, Fukunaga, Nagata, and Honjo.
Nagy, Z.A. *See* Lehmann, Drexler, Tary-Lehmann, Falcioni, Hurtenbach, and Nagy.
Nakano, N., Kikutani, H., Nishimoto, H., and Kishimoto, T. T cell receptor V gene usage of islet β cell–reactive T cells is not restricted in non-obese diabetic mice. 1091.
Nakayama, E. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Nanney, L.B. *See* Fava, Olsen, Postlethwaite, Broadley, Davidson, Nanney, Lucas, and Townes.
Naotunne, T. De S., Karunaweera, N.D., Del Giudice, G., Kularatne, M.U., Grau, G.E., Carter, R., and Mendis, K.N. Cytokines kill malaria parasites during infection crisis: extracellular complementary factors are essential. 523.
Naquet, P. *See* He, Naquet, Caillol, and Pierres.
Nelson, F.K., Greiner, D.L., Shultz, L.D., and Rajan, T.V. The immunodeficient *scid* mouse as a model for human lymphatic filariasis. 659.
Nepom, B.S. *See* Andersen, Beaty, Nettles, Seyfried, Nepom, and Nepom.
Nepom, G.T. *See* Andersen, Beaty, Nettles, Seyfried, Nepom, and Nepom.

Neta, R., Oppenheim, J.J., Schreiber, R.D., Chizzonite, R., Ledney, G.D., and MacVittie, T.J. Role of cytokines (interleukin 1, tumor necrosis factor, and transforming growth factor β) in natural and lipopolysaccharide-enhanced radioresistance. 1177.
Nettles, J.W. *See* Andersen, Beaty, Nettles, Seyfried, Nepom, and Nepom.
Newbold, C.I. *See* Luzzi, Merry, Newbold, Marsh, Pasvol, and Weatherall.
Newman, W. *See* Bochner, Luscinskas, Gimbrone, Newman, Sterbinsky, Derse-Anthony, Klunk, and Schleimer.
— *See* Koopman, Parmentier, Schuurman, Newman, Meijer, and Pals.
Nickells, M.W., *See* Moulds, Nickells, Moulds, Brown, and Atkinson.
Niemi, E.C. *See* Seaman, Niemi, Stark, Goldfien, Pollock, and Imboden.
Niida, S. *See* Kodama, Nose, Niida, and Yamasaki.
— *See* Kodama, Yamasaki, Nose, Niida, Ohgame, Abe, Kumegawa, and Suda.
Nishimoto, H. *See* Nakano, Kikutani, Nishimoto, and Kishimoto.
Noël, H. *See* Uyttenhove, Druez, Renauld, Hérin, Noël, and Van Snick.
Nomoto, K. *See* Matsumoto, Yoshikai, Asano, Himeno, Iwasaki, and Nomoto.
Norris, J.G. *See* Chung, Norris, and Benveniste.
Norton, J.A. *See* Alexander, Doherty, Buresh, Venzon, and Norton.
Nose, M. *See* Kodama, Nose, Niida, and Yamasaki.
— *See* Kodama, Yamasaki, Nose, Niida, Ohgame, Abe, Kumegawa, and Suda.
Nussenzweig, M.C. *See* Shimizu, Nussenzweig, Han, Sanchez, and Honjo.

O

Obata, Y. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Odin, J.A. *See* Boros, Odin, Muryoi, Masur, Bona, and Unkeless.
O'Donnell, C.L. *See* Welsh, Brubaker, Vargas-Cortes, and O'Donnell.
Ogawa, M. *See* Kinashi, Lee, Ogawa, Tohyama, Tashiro, Fukunaga, Nagata, and Honjo.
Ohgame, Y. *See* Kodama, Yamasaki, Nose, Niida, Ohgame, Abe, Kumegawa, and Suda.
Oliver, J. *See* Schon-Hegrad, Oliver, McMenamin, and Holt.
Olsen, N.J. *See* Fava, Olsen, Postlethwaite, Broadley, Davidson, Nanney, Lucas, and Townes.
Olsson, C. *See* de la Hera, Müller, Olsson, Isaaz, and Tunnacliffe.
Ono, S.J., Bažil, V., Sugawara, M., and Strominger, J.L. An isotype-specific *trans*-acting factor is defective in a mutant B cell line that expresses HLA-DQ, but not -DR or -DP. 629.
Oorschot, V. *See* Peters, Borst, Oorschot, Fukuda, Krähenbühl, Tschopp, Slot, and Geuze.
Oosterwegel, M., van de Wetering, M., Dooijes, D., Klomp, L., Winoto, A., Georgopoulos, K., Meijlink, F., and Clevers, H. Cloning of murine TCF-1, a T cell–specific transcription factor interacting with functional motifs in the CD3-ϵ and T cell receptor α enhancers. 1133.
Oppenheim, J.J. *See* Neta, Oppenheim, Schreiber, Chizzonite, Ledney, and MacVittie.
Orenstein, J.M. *See* Wahl, Allen, McCartney-Francis, Morganti-Kossmann, Kossmann, Ellingsworth, Mai, Mergenhagen, and Orenstein.
O'Rourke, A.M., Apgar, J.R., Kane, K.P., Martz, E., and Mescher, M.F. Cytoskeletal function in CD8- and T cell receptor–mediated interaction of cytotoxic T lymphocytes with class I protein. 241.

P

Paganin, C. *See* Allavena, Paganin, Martin-Padura, Peri, Gaboli, Dejana, Marchisio, and Mantovani.
Page, T.H. *See* Dallman, Shiho, Page, Wood, and Morris.
Palmer, M. *See* Gammon, Geysen, Apple, Pickett, Palmer, Ametani, and Sercarz.
Pals, S.T. *See* Koopman, Parmentier, Schuurman, Newman, Meijer, and Pals.
Pantaleo, G., Butini, L., Graziosi, C., Poli, G., Schnittman, S.M., Greenhouse, J.J., Gallin, J.I., and Fauci, A.S. Human immunodeficiency virus (HIV) infection in CD4$^+$ T lymphocytes genetically deficient in LFA-1: LFA-1 is required for HIV-mediated cell fusion but not for viral transmission. 511.
Papazian, L. *See* Shefner, Kleiner, Turken, Papazian, and Diamond.
Pape, G.R. *See* Messer, Spengler, Jung, Honold, Blömer, Pape, Riethmüller, and Weiss.
Parenza, M. *See* Colombo, Ferrari, Stoppacciaro, Parenza, Rodolfo, Mavilio, and Parmiani.
Parkman, R. *See* Piller, Le Deist, Weinberg, Parkman, and Fukuda.
Parmentier, H.K. *See* Koopman, Parmentier, Schuurman, Newman, Meijer, and Pals.
Parmiani, G. *See* Colombo, Ferrari, Stoppacciaro, Parenza, Rodolfo, Mavilio, and Parmiani.
Pasvol, G. *See* Luzzi, Merry, Newbold, Marsh, Pasvol, and Weatherall.
Pawar, S. *See* Wildin, Garvin, Pawar, Lewis, Abraham, Forbush, Ziegler, Allen, and Perlmutter.
Pearce, E.J., Caspar, P., Grzych, J.-M., Lewis, F.A., and Sher, A. Downregulation of Th1 cytokine production accompanies induction of Th2 responses by a parasitic helminth, *Schistosoma mansoni*. 159.
Pebbles, C.L. *See* Andrade, Chan, Raska, Pebbles, Roos, and Tan.
Pechhold, K. *See* Kabelitz, Bender, Prospero, Wesselborg, Janssen, and Pechhold.
— *See* Wesselborg, Janssen, Pechhold, and Kabelitz.
Pelchen-Matthews, A., Armes, J.E., Griffiths, G., and Marsh, M. Differential endocytosis of CD4 in lymphocytic and nonlymphocytic cells. 575.
Peppel, K., Vinci, J.M., and Baglioni, C. The AU-rich sequences in the 3' untranslated region mediate the increased turnover of interferon mRNA induced by glucocorticoids. 349.
Peri, G. *See* Allavena, Paganin, Martin-Padura, Peri, Gaboli, Dejana, Marchisio, and Mantovani.
Perlmutter, R.M. *See* Abraham, Levin, Marth, Forbush, and Perlmutter.
— *See* Lewis, Yu, Forbush, Carpenter, Sato, Grossman, Liggitt, and Perlmutter.
— *See* Wildin, Garvin, Pawar, Lewis, Abraham, Forbush, Ziegler, Allen, and Perlmutter.
Perussia, B. *See* Chan, Perussia, Gupta, Kobayashi, Pospíšil, Young, Wolf, Young, Clark, and Trinchieri.
Peschle, C. *See* Ciolli, Gabriele, Sestili, Varano, Proietti, Gresser, Testa, Montesoro, Bulgarini, Mariani, Peschle, and Belardelli.
Peten, E.P. *See* Doi, Striker, Kimata, Peten, Yamada, and Striker.
Peters, P.J., Borst, J., Oorschot, V., Fukuda, M., Krähenbühl, O., Tschopp, J., Slot, J.W., and Geuze, H.J. Cytotoxic T lymphocyte granules are secretory lysosomes, containing both perforin and granzymes. 1099.
Peterson, L. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Pickett, E. *See* Gammon, Geysen, Apple, Pickett, Palmer, Ametani, and Sercarz.
Pierres, M. *See* He, Naquet, Caillol, and Pierres.
Piguet, P.F., Grau, G.E., Hauser, C., and Vassalli, P. Tumor necrosis factor is a critical mediator in hapten-induced irritant and contact hypersensitivity reactions. 673.
Pillai, S. *See* Cherayil and Pillai.
Piller, F., Le Deist, F., Weinberg, K.I., Parkman, R., and Fukuda, M. Altered *O*-glycan synthesis in lymphocytes from patients with Wiskott-Aldrich syndrome. 1501.
Pisano, J.M. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Plocinski, J.M. *See* McIntyre, Stepan, Kolinsky, Benjamin, Plocinski, Kaffka, Campen, Chizzonite, and Kilian.
Poli, G., Kinter, A.L., Justement, J.S., Bressler, P., Kehrl, J.H., and Fauci, A.S. Transforming growth factor β suppresses human immunodeficiency virus expression and replication in infected cells of the monocyte/macrophage lineage. 589.
— *See* Pantaleo, Butini, Graziosi, Poli, Schnittman, Greenhouse, Gallin, and Fauci.
— *See* Rieckmann, Poli, Kehrl, and Fauci.
Pollock, A.S. *See* Seaman, Niemi, Stark, Goldfien, Pollock, and Imboden.
Portnoy, D.A. *See* Camilli, Goldfine, and Portnoy.

Pospíšil, M. *See* Chan, Perussia, Gupta, Kobayashi, Pospíšil, Young, Wolf, Young, Clark, and Trinchieri.
Postlethwaite, A.E. *See* Fava, Olsen, Postlethwaite, Broadley, Davidson, Nanney, Lucas, and Townes.
Powis, S.J., Howard, J.C., and Butcher, G.W. The major histocompatibility complex class II–linked *cim* locus controls the kinetics of intracellular transport of a classical class I molecule. 913.
Pradhan, H.M. *See* Kaplan, Britton, Hancock, Theuvenet, Smith, Job, Roche, Molloy, Burkhardt, Barker, Pradhan, and Cohn.
Prasad, S. *See* Saukkonen, Cabellos, Burroughs, Prasad, and Tuomanen.
Proietti, E. *See* Ciolli, Gabriele, Sestili, Varano, Proietti, Gresser, Testa, Montesoro, Bulgarini, Mariani, Peschle, and Belardelli.
Prospero, T. *See* Kabelitz, Bender, Prospero, Wesselborg, Janssen, and Pechhold.
Pullen, A.M., Bill, J., Kubo, R.T., Marrack, P., and Kappler, J.W. Analysis of the interaction site for the self superantigen Mls-1^a on T cell receptor Vβ. 1183.
Puré, E. *See* Camp, Kraus, Birkeland, and Puré.
— *See* Forman and Puré.

Q

Qin, Z. *See* Blankenstein, Qin, Überla, Müller, Rosen, Volk, and Diamantstein.

R

Rajan, T.V. *See* Nelson, Greiner, Shultz, and Rajan.
Rajewsky, K. *See* Gu, Tarlinton, Müller, Rajewsky, and Förster.
Ramarli, D. *See* Giunta, Favre, Ramarli, Grossi, and Corte.
Ramos, R.A. *See* Lo, Lee, Ramos, Lobb, Rosa, Chi-Rosso, and Wright.
— *See* Wright, Ramos, Hermanowski-Vosatka, Rockwell, and Detmers.
Rand, T.H., Cruikshank, W.W., Center, D.M., and Weller, P.F. CD4-mediated stimulation of human eosinophils: lymphocyte chemoattractant factor and other CD4-binding ligands elicit eosinophil migration. 1521.
Raska, I. *See* Andrade, Chan, Raska, Pebbles, Roos, and Tan.
Reichard, B.A. *See* Yamada, Wasserman, Reichard, Shane, Caton, and Rovera.
Reinherz, E.L. *See* Arulanandam, Koyasu, and Reinherz.
Rellahan, B.L., Bluestone, J.A., Houlden, B.A., Cotterman, M.M., and Matis, L.A. Junctional sequences influence the specificity of γ/δ T cell receptors. 503.
Renauld, J.-C. *See* Uyttenhove, Druez, Renauld, Hérin, Noël, and Van Snick.
Rennick, D.M. *See* Thompson-Snipes, Dhar, Bond, Mosmann, Moore, and Rennick.
Repasky, E.A. *See* Chen, Repasky, and Bankert.
Rey-Campos, J. *See* de Cordoba, Sanchez-Corral, and Rey-Campos.
Rhodes, G. *See* Watry, Hedrick, Siervo, Rhodes, Lambert, Lambris, and Tsoukas.
Rich, D.H. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Richert, J. *See* Martin, Howell, Jaraquemada, Flerlage, Richert, Brostoff, Long, McFarlin, and McFarland.
Richter, C.B. *See* Barry, Jones, Richter, and Haynes.
Rickinson, A.B. *See* Rowe, Young, Crocker, Stokes, Henderson, and Rickinson.
Rieckmann, P., Poli, G., Kehrl, J.H., and Fauci, A.S. Activated B lymphocytes from human immunodeficiency virus–infected individuals induce virus expression in infected T cells and a promonocytic cell line, U1. 1.
Riethmüller, G. *See* Messer, Spengler, Jung, Honold, Blömer, Pape, Riethmüller, and Weiss.
Riggs, J.E., Stowers, R.S., and Mosier, D.E. Adoptive transfer of neonatal T lymphocytes rescues immunoglobulin production in mice with severe combined immune deficiency. 265.
Ritchlin, C. *See* Bucala, Ritchlin, Winchester, and Cerami.
Robbins, P.A., and McMichael, A.J. Immune recognition of HLA molecules downmodulates CD8 expression on cytotoxic T lymphocytes. 221.
Roberts, K., Yokoyama, W.M., Kehn, P.J., and Shevach, E.M. The vitronectin receptor serves as an accessory molecule for the activation of a subset of γ/δ T cells. 231.
— *See* Moulder, Roberts, Shevach, and Coligan.
Rocha, B., Vassalli, P., and Guy-Grand, D. The Vβ repertoire of mouse gut homodimeric α CD8$^+$ intraepithelial T cell receptor α/β^+ lymphocytes reveals a major extrathymic pathway of T cell differentiation. 483.
Roche, P.W. *See* Kaplan, Britton, Hancock, Theuvenet, Smith, Job, Roche, Molloy, Burkhardt, Barker, Pradhan, and Cohn.
Rockwell, P. *See* Wright, Ramos, Hermanowski-Vosatka, Rockwell, and Detmers.
Rodolfo, M. *See* Colombo, Ferrari, Stoppacciaro, Parenza, Rodolfo, Mavilio, and Parmiani.
Rodríguez, M.L. *See* Arribas, Rodríguez, Alvarez Do-Forno, and Castaño.
Roncarolo, M.-G. *See* Gascan, Gauchat, Roncarolo, Yssel, Spits, and de Vries.
Roos, G. *See* Andrade, Chan, Raska, Pebbles, Roos, and Tan.
Roosnek, E., and Lanzavecchia, A. Efficient and selective presentation of antigen-antibody complexes by rheumatoid factor B cells. 487.
Rosa, M. *See* Lo, Lee, Ramos, Lobb, Rosa, Chi-Rosso, and Wright.
Rosen, H. *See* Blankenstein, Qin, Überla, Müller, Rosen, Volk, and Diamantstein.
Rosenberg, A.S., Munitz, T.I., Maniero, T.G., and Singer, A. Cellular basis of skin allograft rejection across a class I major histocompatibility barrier in mice depleted of CD8$^+$ T cells in vivo. 1463.
Rosenberg, S.A. *See* Barth, Mulé, Spiess, and Rosenberg.
Rossi, F. *See* Bazzoni, Cassatella, Rossi, Ceska, Dewald, and Baggiolini.
Rousset, F., Garcia, E., and Banchereau, J. Cytokine-induced proliferation and immunoglobulin production of human B lymphocytes triggered through their CD40 antigen. 705.
Rovera, G. *See* Yamada, Wasserman, Reichard, Shane, Caton, and Rovera.
Rowe, M., Young, L.S., Crocker, J., Stokes, H., Henderson, S., and Rickinson, A.B. Epstein-Barr virus (EBV)-associated lymphoproliferative disease in the *SCID* mouse model: implications for the pathogenesis of EBV-positive lymphomas in man. 147.

S

Sakano, H. *See* Davis, Yoshida, Kingsbury, and Sakano.
Sala, A. *See* Gresser, Carnaud, Maury, Sala, Eid, Woodrow, Maunoury, and Belardelli.
Salazar, M. *See* Egea, Iglesias, Salazar, Morimoto, Kruskall, Awdeh, Schlossman, Alper, and Yunis.
Sampaio, E.P., Sarno, E.N., Galilly, R., Cohn, Z.A., and Kaplan, G. Thalidomide selectively inhibits tumor necrosis factor α production by stimulated human monocytes. 699.
Samuelson, J., Lerner, E., Tesh, R., and Titus, R. A mouse model of *Leishmania braziliensis braziliensis* infection produced by coinjection with sand fly saliva. 49.
Sanchez, M. *See* Shimizu, Nussenzweig, Han, Sanchez, and Honjo.
Sanchez-Corral, P. *See* de Cordoba, Sanchez-Corral, and Rey-Campos.
Sánchez-Movilla, A. *See* Andreu-Sánchez, de Alborán, Marcos, Sánchez-Movilla, Martínez-A, and Kroemer.
Sarno, E.N. *See* Sampaio, Sarno, Galilly, Cohn, and Kaplan.
Sato, T.A. *See* Lewis, Yu, Forbush, Carpenter, Sato, Grossman, Liggitt, and Perlmutter.
Saukkonen, K., Cabellos, C., Burroughs, M., Prasad, S., and Tuomanen, E. Integrin-mediated localization of *Bordetella pertussis* within macrophages: role in pulmonary colonization. 1143.
Scharff, M.D. *See* Behar, Lustgarten, Corbet, and Scharff.
Schleimer, R.P. *See* Bochner, Luscinskas, Gimbrone, Newman, Sterbinsky, Derse-Anthony, Klunk, and Schleimer.
Schlissel, M.S., Cocoran, L.M., and Baltimore, D. Virus-transformed pre-B cells show ordered activation but not inactivation of immunoglobulin gene rearrangement and transcription. 711.
Schlossman, S.F. *See* Egea, Iglesias, Salazar, Morimoto, Kruskall, Awdeh, Schlossman, Alper, and Yunis.

Schluesener, H.J. *See* Jung and Schluesener.
Schnittman, S.M. *See* Pantaleo, Butini, Graziosi, Poli, Schnittman, Greenhouse, Gallin, and Fauci.
Scholl, P. *See* Sékaly, Croteau, Bowman, Scholl, Burakoff, and Geha.
Schon-Hegrad, M.A., Oliver, J., McMenamin, P.G., and Holt, P.G. Studies on the density, distribution, and surface phenotype of Intraepithelial Class II major histocompatibility complex antigen (Ia)-bearing dendritic cells (DC) in the conducting airways. 1345.
Schreiber, R.D. *See* Neta, Oppenheim, Schreiber, Chizzonite, Ledney, and MacVittie.
Schuurman, H.-J. *See* Koopman, Parmentier, Schuurman, Newman, Meijer, and Pals.
Schwender, S. *See* Sedgwick, Mößner, Schwender, and ter Meulen.
Seaman, W.E., Niemi, E.C., Stark, M.R., Goldfien, R.D., Pollock, A.S., and Imboden, J.B. Molecular cloning of gp42, a cell-surface molecule that is selectively induced on rat natural killer cells by interleukin 2: glycolipid membrane anchoring and capacity for transmembrane signaling. 251.
Sedgwick, J.D., Mößner, R., Schwender, S., and ter Meulen, V. Major histocompatibility complex–expressing nonhematopoietic astroglial cells prime only $CD8^+$ T lymphocytes: astroglial cells as perpetuators but not initiators of $CD4^+$ T cell responses in the central nervous system. 1235.
Sékaly, R.-P., Croteau, G., Bowman, M., Scholl, P., Burakoff, S., and Geha, R.S. The CD4 molecule is not always required for the T cell response to bacterial enterotoxins. 367.
Sercarz, E.E. *See* Gammon, Geysen, Apple, Pickett, Palmer, Ametani, and Sercarz.
Sestili, P. *See* Ciolli, Gabriele, Sestili, Varano, Proietti, Gresser, Testa, Montesoro, Bulgarini, Mariani, Peschle, and Belardelli.
Seydel, K.B. *See* Alters, Shizuru, Ackerman, Grossman, Seydel, and Fathman.
Seyfried, C.E. *See* Andersen, Beaty, Nettles, Seyfried, Nepom, and Nepom.
Shane, S. *See* Yamada, Wasserman, Reichard, Shane, Caton, and Rovera.
Sharon, J. *See* Fish, Fleming, Sharon, and Manser.
Sharp, G.C. *See* Braley-Mullen, Sharp, Bickel, and Kyriakos.
Shefner, R., Kleiner, G., Turken, A., Papazian, L., and Diamond, B. A novel class of anti-DNA antibodies identified in BALB/c mice. 287.
Sher, A. *See* Pearce, Caspar, Grzych, Lewis, and Sher.
Sherman, L.A. *See* Vitiello, Marchesini, Furze, Sherman, and Chesnut.
Shevach, E.M. *See* Moulder, Roberts, Shevach, and Coligan.
— *See* Roberts, Yokoyama, Kehn, and Shevach.
Shiho, O. *See* Dallman, Shiho, Page, Wood, and Morris.
Shiku, H. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Shimizu, A., Nussenzweig, M.C., Han, H., Sanchez, M., and Honjo, T. *Trans*-splicing as a possible molecular mechanism for the multiple isotype expression of the immunoglobulin gene. 1385.
Shimizu, T., Iwasato, T., and Yamagishi, H. Deletions of immunoglobulin C_χ region characterized by the circular excision products in mouse splenocytes. 1065.
Shinton, S.A. *See* Hardy, Carmack, Shinton, Kemp, and Hayakawa.
Shizuru, J.A. *See* Alters, Shizuru, Ackerman, Grossman, Seydel, and Fathman.
Shortman, K., Vremec, D., and Egerton, M. The kinetics of T cell antigen receptor expression by subgroups of $CD4^+8^+$ thymocytes: delineation of $CD4^+8^+3^{2+}$ thymocytes as post-selection intermediates leading to mature T cells. 323.
Showalter, S.D. *See* Skeel, Yoshimura, Showalter, Tanaka, Appella, and Leonard.
Shu, G. *See* Koulova, Clark, Shu, and Dupont.
Shultz, L.D. *See* Nelson, Greiner, Shultz, and Rajan.
Siekierka, J.J. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Siervo, S. *See* Watry, Hedrick, Siervo, Rhodes, Lambert, Lambris, and Tsoukas.
Sigal, N.H., Dumont, F., Durette, P., Siekierka, J.J., Peterson, L., Rich, D.H., Dunlap, B.E., Staruch, M.J., Melino, M.R., Koprak, S.L., Williams, D., Witzel, B., and Pisano, J.M. Is cyclophilin involved in the immunosuppressive and nephrotoxic mechanism of action of cyclosporin A? 619.
Silverstein, R., Turley, B.R., Christoffersen, C.A., Johnson, D.C., and Morrison, D.C. Hydrazine sulfate protects D-galactosamine-sensitized mice against endotoxin and tumor necrosis factor/cachectin lethality: evidence of a role for the pituitary. 357.
Singer, A. *See* Rosenberg, Munitz, Maniero, and Singer.
Skeel, A., Yoshimura, T., Showalter, S.D., Tanaka, S., Appella, E., and Leonard, E.J. Macrophage stimulating protein: purification, partial amino acid sequence, and cellular activity. 1227.
Slater, A.F.G. *See* Goldberg, Slater, Beavis, Chait, Cerami, and Henderson.
Slot, J.W. *See* Peters, Borst, Oorschot, Fukuda, Krähenbühl, Tschopp, Slot, and Geuze.
Slungaard, A., and Mahoney, J.R., Jr. Bromide-dependent toxicity of eosinophil peroxidase for endothelium and isolated working rat hearts: a model for eosinophilic endocarditis. 117.
Smith, C.A., Barnett, B.C., Thomas, D.B., and Temoltzin-Palacios, F. Structural assignment of novel and immunodominant antigenic sites in the neutralizing antibody response of CBA/Ca mice to influenza hemagglutinin. 953.
Smith, K.A. *See* Ehlers and Smith.
— *See* Kaplan, Britton, Hancock, Theuvenet, Smith, Job, Roche, Molloy, Burkhardt, Barker, Pradhan, and Cohn.
Sobel, E.S., Katagiri, T., Katagiri, K., Morris, S.C., Cohen, P.L., and Eisenberg, R.A. An intrinsic B cell defect is required for the production of autoantibodies in the *lpr* model of murine systemic autoimmunity. 1441.
Spengler, U. *See* Messer, Spengler, Jung, Honold, Blömer, Pape, Riethmüller, and Weiss.
Spiess, P.J. *See* Barth, Mulé, Spiess, and Rosenberg.
Spits, H. *See* Gascan, Gauchat, Roncarolo, Yssel, Spits, and de Vries.
Sprent, J. *See* Agus, Surh, and Sprent.
Stark, M.R. *See* Seaman, Niemi, Stark, Goldfien, Pollock, and Imboden.
Staruch, M.J. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Stefura, B.P. *See* HayGlass and Stefura.
Stepan, G.J. *See* McIntyre, Stepan, Kolinsky, Benjamin, Plocinski, Kaffka, Campen, Chizzonite, and Kilian.
Sterbinsky, S.A. *See* Bochner, Luscinskas, Gimbrone, Newman, Sterbinsky, Derse-Anthony, Klunk, and Schleimer.
Stokes, H. *See* Rowe, Young, Crocker, Stokes, Henderson, and Rickinson.
Stoppacciaro, A. *See* Colombo, Ferrari, Stoppacciaro, Parenza, Rodolfo, Mavilio, and Parmiani.
Stowers, R.S. *See* Riggs, Stowers, and Mosier.
Striker, G.E. *See* Doi, Striker, Kimata, Peten, Yamada, and Striker.
Striker, L.J. *See* Doi, Striker, Kimata, Peten, Yamada, and Striker.
Strominger, J.L. *See* Ono, Bažil, Sugawara, and Strominger.
Suda, T. *See* Kodama, Yamasaki, Nose, Niida, Ohgame, Abe, Kumegawa, and Suda.
Suffredini, A.F. *See* Martich, Danner, Ceska, and Suffredini.
Sugawara, M. *See* Ono, Bažil, Sugawara, and Strominger.
Surh, C.D. *See* Agus, Surh, and Sprent.
Suzuki, N., Suzuki, T., and Engleman, E.G. Evidence for the involvement of CD56 molecules in alloantigen-specific recognition by human natural killer cells. 1451.
Suzuki, T. *See* Suzuki, Suzuki, and Engleman.

T

Takahashi, T. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Takaki, S. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.
Takatsu, K. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.
Tan, E.M. *See* Alderuccio, Chan, and Tan.
— *See* Andrade, Chan, Raska, Pebbles, Roos, and Tan.
Tan, L., Turner, J., and Weiss, A. Regions of the T cell receptor α and β chains that are responsible for interactions with CD3. 1247.
Tanaka, S. *See* Skeel, Yoshimura, Showalter, Tanaka, Appella, and Leonard.

Tao, M.-H., Canfield, S.M., and Morrison, S.L. The differential ability of human IgG1 and IgG4 to activate complement is determined by the COOH-terminal sequence of the C_H2 domain. 1025.
Tarlinton, D. *See* Gu, Tarlinton, Müller, Rajewsky, and Förster.
Tary-Lehmann, M. *See* Lehmann, Drexler, Tary-Lehmann, Falcioni, Hurtenbach, and Nagy.
Tashiro, K. *See* Kinashi, Lee, Ogawa, Tohyama, Tashiro, Fukunaga, Nagata, and Honjo.
— *See* Lee, Kinashi, Tohyama, Tashiro, Funato, Hama, and Honjo.
Tedder, T.F. *See* Matsumoto, Kopicky-Burd, Carter, Tuveson, Tedder, and Fearon.
Temoltzin-Palacios, F. *See* Smith, Barnett, Thomas, and Temoltzin-Palacios.
ter Meulen, V. *See* Sedgwick, Mößner, Schwender, and ter Meulen.
Tesh, R. *See* Samuelson, Lerner, Tesh, and Titus.
Testa, U. *See* Ciolli, Gabriele, Sestili, Varano, Proietti, Gresser, Testa, Montesoro, Bulgarini, Mariani, Peschle, and Belardelli.
Theuvenet, W.J. *See* Kaplan, Britton, Hancock, Theuvenet, Smith, Job, Roche, Molloy, Burkhardt, Barker, Pradhan, and Cohn.
Thomas, D.B. *See* Smith, Barnett, Thomas, and Temoltzin-Palacios.
Thompson-Snipes, L., Dhar, V., Bond, M.W., Mosmann, T.R., Moore, K.W., and Rennick, D.M. Interleukin 10: a novel stimulatory factor for mast cells and their progenitors. 507.
Titus, R. *See* Samuelson, Lerner, Tesh, and Titus.
Tohyama, K. *See* Kinashi, Lee, Ogawa, Tohyama, Tashiro, Fukunaga, Nagata, and Honjo.
— *See* Lee, Kinashi, Tohyama, Tashiro, Funato, Hama, and Honjo.
Tominaga, A., Takaki, S., Koyama, N., Katoh, S., Matsumoto, R. Migita, M., Hitoshi, Y., Hosoya, Y., Yamauchi, S., Kanai, Y., Miyazaki, J.-I., Usuku, G., Yamamura, K.-I., and Takatsu, K. Transgenic mice expressing a B cell growth and differentiation factor gene (interleukin 5) develop eosinophilia and autoantibody production. 429.
Tough, T.W. *See* Alderson, Tough, Ziegler, and Grabstein.
Townes, A.S. *See* Fava, Olsen, Postlethwaite, Broadley, Davidson, Nanney, Lucas, and Townes.
Trabaud, M-A. *See* Boyer, Desgranges, Trabaud, Fischer, and Kazatchkine.
Trinchieri, G. *See* Chan, Perussia, Gupta, Kobayashi, Pospíšil, Young, Wolf, Young, Clark, and Trinchieri.
Tschopp, J. *See* Peters, Borst, Oorschot, Fukuda, Krähenbühl, Tschopp, Slot, and Geuze.
Tsoukas, C.D. *See* Watry, Hedrick, Siervo, Rhodes, Lambert, Lambris, and Tsoukas.
Tucker, P.W. *See* Berman, Humphries, Barth, Alt, and Tucker.
Tunnacliffe, A. *See* de la Hera, Müller, Olsson, Isaaz, and Tunnacliffe.
Tuomanen, E. *See* Saukkonen, Cabellos, Burroughs, Prasad, and Tuomanen.
Turken, A. *See* Shefner, Kleiner, Turken, Papazian, and Diamond.
Turley, B.R. *See* Silverstein, Turley, Christoffersen, Johnson, and Morrison.
Turner, J. *See* Tan, Turner, and Weiss.
Tuveson, D.A., Ahearn, J.M., Matsumoto, A.K., and Fearon, D.T. Molecular interactions of complement receptors on B lymphocytes: a CR1/CR2 complex distinct from the CR2/CD19 complex. 1083.
— *See* Matsumoto, Kopicky-Burd, Carter, Tuveson, Tedder, and Fearon.

U

Überla, K. *See* Blankenstein, Qin, Überla, Müller, Rosen, Volk, and Diamantstein.
Uenaka, A. *See* Kawai, Obata, Hamasima, Takahashi, Uenaka, Monden, Mori, Shiku, and Nakayama.
Unkeless, J.C. *See* Boros, Odin, Muryoi, Masur, Bona, and Unkeless.
Usuku, G. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.
Uyttenhove, C., Druez, C., Renauld, J.-C., Hérin, M., Noël, H., and Van Snick, J. Autonomous growth and tumorigenicity induced by P40/interleukin 9 cDNA transfection of a mouse P40-dependent T cell line. 519.

V

van de Akker, W.R.M. *See* van Es, Gmelig Meyling, van de Akker, Aanstoot, Derksen, and Logtenberg.
Van den Eynde, B., Lethé, B., Van Pel, A., De Plaen, E., and Boon, T. The gene coding for a major tumor rejection antigen of tumor P815 is identical to the normal gene of syngeneic DBA/2 mice. 1373.
van de Wetering, M. *See* Oosterwegel, van de Wetering, Dooijes, Klomp, Winoto, Georgopoulos, Meijlink, and Clevers.
van Es, J.H., Gmelig Meyling, F.H.J., van de Akker, W.R.M., Aanstoot, H., Derksen, R.H.W.M., and Logtenberg, T. Somatic mutations in the variable regions of a human IgG anti-double-stranded DNA autoantibody suggest a role for antigen in the induction of systemic lupus erythematosus. 461.
Van Ness, B. *See* Martin, Huang, LeBien, and Van Ness.
Van Pel, A. *See* Van den Eynde, Lethé, Van Pel, De Plaen, and Boon.
van Putten, J.P.M. *See* Weel, Hopman, and van Putten.
van Rood, J.J. *See* Marijt, Veenhof, Brand, Goulmy, Fibbe, Willemze, van Rood, and Falkenburg.
Van Snick, J. *See* Uyttenhove, Druez, Renauld, Hérin, Noël, and Van Snick.
Varano, F. *See* Ciolli, Gabriele, Sestili, Varano, Proietti, Gresser, Testa, Montesoro, Bulgarini, Mariani, Peschle, and Belardelli.
Vargas-Cortes, M. *See* Welsh, Brubaker, Vargas-Cortes, and O'Donnell.
Varney, V. *See* Kay, Ying, Varney, Gaga, Durham, Moqbel, Wardlaw, and Hamid.
Vassali, P. *See* Guy-Grand, Cerf-Bensussan, Malissen, Malassis-Seris, Briottet, and Vassali.
— *See* Guy-Grand, Malassis-Seris, Briottet, and Vassalli.
— *See* Piguet, Grau, Hauser, and Vassalli.
— *See* Rocha, Vassalli, and Guy-Grand.
Veenhof, W.F.J. *See* Marijt, Veenhof, Brand, Goulmy, Fibbe, Willemze, van Rood, and Falkenburg.
Venzon, D.J. *See* Alexander, Doherty, Buresh, Venzon, and Norton.
Vinci, J.M. *See* Peppel, Vinci, and Baglioni.
Vitiello, A., Marchesini, D., Furze, J., Sherman, L.A., and Chesnut, R.W. Analysis of the HLA-restricted influenza-specific cytotoxic T lymphocyte response in transgenic mice carrying a chimeric human-mouse class I major histocompatibility complex. 1007.
Volk, H.-D. *See* Blankenstein, Qin, Überla, Müller, Rosen, Volk, and Diamantstein.
Vremec, D. *See* Shortman, Vremec, and Egerton.

W

Wahl, S.M., Allen, J.B., McCartney-Francis, N., Morganti-Kossmann, M.C., Kossmann, T., Ellingsworth, L., Mai, U.E.H., Mergenhagen, S.E., and Orenstein, J.M. Macrophage- and astrocyte-derived transforming growth factor β as a mediator of central nervous system dysfunction in acquired immune deficiency syndrome. 981.
Wardlaw, A.J. *See* Kay, Ying, Varney, Gaga, Durham, Moqbel, Wardlaw, and Hamid.
Wasserman, R. *See* Yamada, Wasserman, Reichard, Shane, Caton, and Rovera.
Watanabe, Y. *See* Mazda, Watanabe, Gyotoku, and Katsura.
Watry, D., Hedrick, J.A., Siervo, S., Rhodes, G., Lambert, J.J., Lambris, J.D., and Tsoukas, C.D. Infection of human thymocytes by Epstein-Barr virus. 971.
Weatherall, D.J. *See* Luzzi, Merry, Newbold, Marsh, Pasvol, and Weatherall.
Weel, J.F.L., Hopman, C.T.P., and van Putten, J.P.M. In situ expression and localization of *Neisseria gonorrhoeae* opacity proteins in infected epithelial cells: apparent role of Opa proteins in cellular invasion. 1395.
Weinberg, K.I. *See* Piller, Le Deist, Weinberg, Parkman, and Fukuda.
Weiss, A. *See* Tan, Turner, and Weiss.
Weiss, E.H. *See* Messer, Spengler, Jung, Honold, Blömer, Pape, Riethmüller, and Weiss.
Weissman, I.L. *See* Kina, Majumdar, Heimfeld, Kaneshima, Holzmann, Katsura, and Weissman.
— *See* Miyake, Weissman, Greenberger, and Kincade.

Weller, P.F. *See* Rand, Cruikshank, Center, and Weller.
Welsh, R.M., Brubaker, J.O., Vargas-Cortes, M., and O'Donnell, C.L. Natural killer (NK) cell response to virus infections in mice with severe combined immunodeficiency. The stimulation of NK cells and the NK cell–dependent control of virus infections occur independently of T and B cell function. 1053.
Wesselborg, S., Janssen, O., Pechhold, K., and Kabelitz, D. Selective activation of γ/δ^+ T cell clones by single anti-CD2 antibodies. 297.
— *See* Kabelitz, Bender, Prospero, Wesselborg, Janssen, and Pechhold.
Wieties, K.M. *See* Alexander, Damico, Wieties, Hansen, and Connolly.
Wildin, R.S., Garvin A.M., Pawar, S., Lewis, D.B., Abraham, K.M., Forbush, K.A., Ziegler, S.F., Allen, J.M., and Perlmutter, R.M. Developmental regulation of *lck* gene expression in T lymphocytes. 383.
Willemze, R. *See* Marijt, Veenhof, Brand, Goulmy, Fibbe, Willemze, van Rood, and Falkenburg.
Williams, D. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Williams, D.E. *See* de Vries, Brasel, Eisenman, Alpert, and Williams.
Wilson, D.B. *See* Davies, Wilson, Butcher, and Wilson.
— *See* Davies, Wilson, Hermel, Lindahl, Butcher, and Wilson.
— *See* Davies, Wilson, and Wilson.
Wilson, D.H. *See* Davies, Wilson, Butcher, and Wilson.
— *See* Davies, Wilson, Hermel, Lindahl, Butcher, and Wilson.
— *See* Davies, Wilson, and Wilson.
Wilson, G.L., Fox, C.H., Fauci, A.S., and Kehrl, J.H. cDNA cloning of the B cell membrane protein CD22: a mediator of B-B cell interactions. 137.
Winchester, R. *See* Bucala, Ritchlin, Winchester, and Cerami.
Winoto, A. *See* Oosterwegel, van de Wetering, Dooijes, Klomp, Winoto, Georgopoulos, Meijlink, and Clevers.
Witzel, B. *See* Sigal, Dumont, Durette, Siekierka, Peterson, Rich, Dunlap, Staruch, Melino, Koprak, Williams, Witzel, and Pisano.
Wolf, S.F. *See* Chan, Perussia, Gupta, Kobayashi, Pospíšil, Young, Wolf, Young, Clark, and Trinchieri.
Wood, K.J. *See* Dallman, Shiho, Page, Wood, and Morris.
Woodrow, D. *See* Gresser, Carnaud, Maury, Sala, Eid, Woodrow, Maunoury, and Belardelli.
Wright, S.D., Ramos, R.A., Hermanowski-Vosatka, A., Rockwell, P., and Detmers, P.A. Activation of the adhesive capacity of CR3 on neutrophils by endotoxin: dependence on lipopolysaccharide binding protein and CD14. 1281.
— *See* Lo, Lee, Ramos, Lobb, Rosa, Chi-Rosso, and Wright.
Wright, T.M., and Farber, J.M. 5' Regulatory region of a novel cytokine gene mediates selective activation by interferon γ. 417.

Y

Yabe, T. *See* Houchins, Yabe, McSherry, and Bach.
Yamada, M., Wasserman, R. Reichard, B.A., Shane, S., Caton, A.J., and Rovera, G. Preferential utilization of specific immunoglobulin heavy chain diversity and joining segments in adult human peripheral blood B lymphocytes. 395.
Yamada, Y. *See* Doi, Striker, Kimata, Peten, Yamada, and Striker.
Yamagishi, H. *See* Harada and Yamagishi.
— *See* Shimizu, Iwasato, and Yamagishi.
Yamamura, K.-I. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.
Yamasaki, A. *See* Kodama, Nose, Niida, and Yamasaki.
— *See* Kodama, Yamasaki, Nose, Niida, Ohgame, Abe, Kumegawa, and Suda.
Yamauchi, S. *See* Tominaga, Takaki, Koyama, Katoh, Matsumoto, Migita, Hitoshi, Hosoya, Yamauchi, Kanai, Miyazaki, Usuku, Yamamura, and Takatsu.
Yates, J.L. *See* Huffnagle, Yates, and Lipscomb.
Ying, S. *See* Kay, Ying, Varney, Gaga, Durham, Moqbel, Wardlaw, and Hamid.
Yokoyama, W.M. *See* Roberts, Yokoyama, Kehn, and Shevach.
Yong, E.C., Chi, E.Y., Fritsche, T.R., and Henderson, W.R., Jr. Human platelet-mediated cytotoxicity against *Toxoplasma gondii*: role of thromboxane. 65.
Yoshida, K. *See* Davis, Yoshida, Kingsbury, and Sakano.
Yoshikai, Y. *See* Matsumoto, Yoshikai, Asano, Himeno, Iwasaki, and Nomoto.
Yoshimura, T. *See* Skeel, Yoshimura, Showalter, Tanaka, Appella, and Leonard.
Youn, B.-S., Liu, C.-C., Kim, K.-K., Young, J.D.-E, Kwon, M.H., and Kwon, B.S. Structure of the mouse pore-forming protein (perforin) gene: analysis of transcription initiation site, 5' flanking sequence, and alternative splicing of 5' untranslated regions. 813.
Young, D. *See* Chan, Perussia, Gupta, Kobayashi, Pospíšil, Young, Wolf, Young, Clark, and Trinchieri.
Young, H.A. *See* Chan, Perussia, Gupta, Kobayashi, Pospíšil, Young, Wolf, Young, Clark, and Trinchieri.
Young, J.D.-E *See* Koizumi, Liu, Zheng, Joag, Bayne, Holoshitz, and Young.
— *See* Youn, Liu, Kim, Young, Kwon, and Kwon.
Young, L.S. *See* Rowe, Young, Crocker, Stokes, Henderson, and Rickinson.
Yssel, H. *See* Gascan, Gauchat, Roncarolo, Yssel, Spits, and de Vries.
Yu, C.C. *See* Lewis, Yu, Forbush, Carpenter, Sato, Grossman, Liggitt, and Perlmutter.
Yunis, E.J. *See* Egea, Iglesias, Salazar, Morimoto, Kruskall, Awdeh, Schlossman, Alper, and Yunis.

Z

Zandalasini, M. *See* Gadina, Bertini, Mengozzi, Zandalasini, Mantovani, and Ghezzi.
Zelenetz, A.D., Chen, T.T., and Levy, R. Histologic transformation of follicular lymphoma to diffuse lymphoma represents tumor progression by a single malignant B cell. 197.
Zheng, L.M. *See* Koizumi, Liu, Zheng, Joag, Bayne, Holoshitz, and Young.
Ziegler, S.F. *See* Alderson, Tough, Ziegler, and Grabstein.
— *See* Wildin, Garvin, Pawar, Lewis, Abraham, Forbush, Ziegler, Allen, and Perlmutter.

Subject Index

Activation
  antigen T lymphocyte vitronectin receptor 343
Adenocarcinoma
  mouse suppression human gene GCSF 889
Adhesion
  extracellular matrix lung tumor antigen 1111
  human B cell follicular dendrite 1297
  human leukocyte vascular endothelial cell 1553
  lymphocyte B7 CD28 antigen 721
  mol natural killer vessel endothelium 439
  neutrophil CR3 lipopolysaccharide binding protein 1281
  stimulation endothelial leukocyte integrin CR3 1493
  stroma hematolymphoid cell glycoprotein 373
  Thy1 antigen thymocyte thymus calcium 515
Adoptive
  transfer T lymphocyte immunodeficiency 265
AIDS
  brain dysfunction transforming growth factor 981
Airway
  dendritic cell density distribution phenotype 1345
Aldrich
  Wiskott syndrome glycan synthesis lymphocyte 1501
Allergen
  polymer IgE interferon 279
Alloantigen
  cytolysis killer lymphocyte CD56 antigen 1451
  tolerance interleukin 2 pathway 79
Amino
  acid human TNF alpha intron 209
Antibody
  antigen ratio immune complex presentation 37
  asialoganglioside immunosuppression 167
  glycoprotein HIV sequential immunization 881
  interleukin 1 receptor antagonist 931
  interleukin 2 receptor autoimmune thyroiditis 899
  neutralizing influenza hemagglutinin genetics 953
  variable region repertoire epitope structure 665
Antigen
  antibody ratio immune complex presentation 37
  blood group complement receptor 1159
  B7 CD28 lymphocyte adhesion 721
  CD2 T lymphocyte activation receptor 297
  CD3 epsilon chain TCR receptor 7
  CD3 T cell receptor interaction 1247
  CD4 endocytosis lymphocyte nonlymphocyte 575
  CD4 skin graft rejection 261
  CD4 T lymphocyte TCR enterotoxin 367
  CD40 Ig lymphocyte cytokine 705
  CD44 virgin primed B lymphocyte 763
  CD56 alloantigen cytolysis killer lymphocyte 1451
  CD8 dependency cytotoxic T lymphocyte 849
  CD8 interferon lymphocyte antitumor 647
  class II graft host resistance 333
  class II interferon tumorigenicity 193
  DR restriction multiple sclerosis peptide 19
  erythrocyte Plasmodium infection thalassemia 785
  H histocompatibility gene dependence 833
  histocompatibility genetics lymphocyte hepatitis 531
  histocompatibility Mls 1a T lymphocyte 779
  histocompatibility transport cim locus rat 913
  HLA DQ gene transacting factor 629
  HLA recognition cytotoxic T lymphocyte 221
  human lymphocyte DQB gene polymorphism 181
  I class cytoskeleton cytotoxic lymphocyte 241
  Ld peptide ligand binding structure 449
  LFA1 human immunodeficiency virus infection 511
  lung tumor extracellular matrix adhesion 1111
  major histocompatibility T lymphocyte 609
  marker B lymphocyte precursor differentiation 1213
  minor histocompatibility bone marrow transplant 101
  Mls T lymphocyte immune tolerance 539
  MTA mitochondria rat 823
  priming lysis T lymphocyte 841
  receptor gamma delta T lymphocyte 1311
  receptor V gene autoimmune diabetes 1091
  site influenza hemagglutinin 953
  specificity T cell receptor 503
  T lymphocyte activation vitronectin receptor 343
  T SV40 tumor transgenic mouse 383
  Thy1 adhesion thymocyte thymus calcium 515
  tolerance neonate dendritic cell lymphocyte 549
  tumor rejection gene sequence mouse 1373
Antiinflammatory
  agent interleukin 8 endotoxin 1021
Antitumor
  interferon CD8 antigen lymphocyte 647
  interleukin metastasis Friend erythroleukemia 313
  monocyte interleukin 7 923
  tumor necrosis factor alpha 1047
Apoptosis
  peptide cytotoxic T lymphocyte 681
Asialoganglioside
  antibody immunosuppression 167
Aspartic
  proteinase Plasmodium Hb degrdn 961
Astrocyte
  encephalomyelitis tumor necrosis factor formation 801
Astroglia
  CDH CD8 T lymphocyte 1235
Atopy
  mRNA cytokine gene cluster 775
AU
  element interferon mRNA turnover glucocorticoid 349
Autoantibody
  B cell defect gene lpr 1441
  coiled body protein 1407
  DNA gene 287
  DNA gene somatic mutation lupus 731
  DNA lupus erythematosus 461
  formation eosinophilia interleukin 5 429
  IgM neutrophil degranulation 1473
  multicatalytic proteinase lupus erythematosus 423
Autoantigen
  nucleolus sequence polymyositis scleroderma human 941
Autoimmune
  diabetes antigen receptor V gene 1091
  thyroiditis antibody interleukin 2 receptor 899
Autoimmunity
  interleukin 2 TCR repertoire 1323
B
  cell autoreactive induction T cell 1433
  cell defect autoantibody gene lpr 1441
  lymphocyte complement receptor interaction 1083
  lymphocyte Ig gene recombination transcription 711
  lymphocyte Ig gene utilization 395
  lymphocyte Ig helper lymphocyte priming 687
  lymphocyte Mls antigen tolerance 539
  lymphocyte precursor differentiation antigen marker 1213
  lymphocyte response hydroxynitrophenyacetyl hapten 1165
  lymphocyte rheumatoid factor immune complex 487
  lymphocyte signaling complement receptor CD19 55
  lymphocyte subset V gene repertoire 1357
  lymphocyte transfer HIV infection cytokine 1
  lymphocyte virgin primed CD44 antigen 763
  progenitor Ig chain omega lambda5 111
Basophil
  adhesion human vascular endothelial cell 1553
Binding
  affinity human IgG Fc receptor 1483
BLIN1
  cell Ig gene rearrangement transcription 639
Blood
  group antigen complement receptor 1159
  hormone endotoxic shock hydrazine 357
Bone
  marrow transplant minor histocompatibility antigen 101
Bordetella
  localization integrin macrophage lung colonization 1143
Brain
  dysfunction AIDS transforming growth factor 981
Bromide
  toxicity peroxidase endothelium eosinophilic endocarditis 117
Brugia
  parasite immunodeficiency mouse model 659
B7
  BB1 CD28 ligand lymphocyte alloactivation 759
  CD28 antigen lymphocyte adhesion 721
Calcium
  newborn leukocyte interferon gamma 767
  Thy1 antigen adhesion thymocyte thymus 515
CDH
  CD8 T lymphocyte astroglia 1235
cDNA
  sequence human C reactive protein 495
CD1
  human chromosome 1 immunoglobin TCT1 1339
CD14
  CR3 adhesive capacity neutrophil endotoxin 1281
CD19
  complement receptor B lymphocyte signaling 55
CD2
  antigen T lymphocyte activation receptor 297
  signal transduction Fc receptor 859
CD28
  antigen B7 lymphocyte adhesion 721
  ligand B7 BB1 lymphocyte alloactivation 759
CD3
  antigen epsilon chain TCR receptor 7
  antigen T cell receptor interaction 1247
CD4
  antigen endocytosis lymphocyte nonlymphocyte 575
  antigen skin graft rejection 261
  antigen T lymphocyte TCR enterotoxin 367
  CD8 lymphocyte cryptococcus growth dissemination 755
  clonal anergy transplantation tolerance 491
  stimulation human eosinophil 1521

CD4SRB
antigen lymphocyte wasting disease correction 1037
CD40
antigen Ig lymphocyte cytokine 705
CD44
antigen virgin primed B lymphocyte 763
CD56
antigen alloantigen cytolysis killer lymphocyte 1451
CD8
antigen cytotoxic T lymphocyte 221
antigen dependency cytotoxic T lymphocyte 849
antigen interferon lymphocyte antitumor 647
CDH T lymphocyte astroglia 1235
CD4 lymphocyte cryptococcus growth dissemination 755
Cell
cycle T lymphocyte thymus homing 1039
human B follicular dendrite adhesion 1297
nucleus protein autoantibody 1407
preB protein gene homol Iglambda1 305
Chlorpromazine
endotoxin shock therapy 1305
Chromosome
1 human CD1 immunoglobin TCT1 1339
CH2
domain IgG1 IgG4 complement activation 1025
Cim
locus histocompatibility antigen transport rat 913
Class
I antigen cytoskeleton cytotoxic lymphocyte 241
II antigen graft host resistance 333
II antigen interferon tumorigenicity 193
Clonal
anergy CD4 transplantation tolerance 491
Cloning
coiled body protein 1407
gene transcription factor TCF1 1133
sequence protein CD22 gene 137
Coiled
body protein autoantibody cloning 1407
Colony
stimulating factor interleukin hemopoiesis 1257
stimulating factor osteoclast differentiation stroma 1291
Complement
activation IgG1 IgG4 CH2 domain 1025
C4b binding protein gene human 1073
HIV infection T lymphocyte 1151
receptor blood group antigen 1159
receptor CD19 B lymphocyte signaling 55
receptor interaction B lymphocyte 1083
Correction
CD4SRB antigen lymphocyte wasting disease 1037
interferon human immunodeficiency virus monocyte 277
interleukin 8 endotoxin antiinflammatory agent 1557
Cryptococcus
growth dissemination CD4 CD8 lymphocyte 755
lung immunity T lymphocyte subset 793
CR3
adhesive capacity neutrophil endotoxin CD14 1281
Cyclophilin
protein binding cyclosporine analog immunosuppressant 619
Cyclosporine
analog cyclophilin protein binding immunosuppressant 619
Cytokine
CD40 antigen Ig lymphocyte 705
formation helper lymphocyte Schistosoma infection 159
formation rheumatoid synovia fibroblast 569
gene mig mouse interferon gamma 417
gene mRNA cluster atopy 775
HIV infection B lymphocyte transfer 1
malaria Plasmodium 523
radioprotection gamma ray 1177
secretion monocyte interleukin 7 923
Cytolysis
alloantigen killer lymphocyte CD56 antigen 1451
Cytoskeleton
cytotoxic lymphocyte class I antigen 241
Cytotoxic
differentiation mouse gut intraepithelial lymphocyte 1549
lymphocyte class I antigen cytoskeleton 241
lymphocyte influenza virus HLA restricted 1007
T lymphocyte antigen CD8 dependency 849
T lymphocyte apoptosis peptide 681
T lymphocyte HLA antigen recognition 221
T lymphocyte secretory lysosome perforin 1099
Cytotoxicity
platelet Toxoplasma thromboxane 65
Degranulation
neutrophil IgM autoantibody 1473
Dendrite
follicular human B cell adhesion 1297
Dendritic
cell airway density distribution phenotype 1345
cell lymphocyte neonate tolerance antigen 549
cell Mls antigen tolerance 539
Development
human mouse gene lck promoter 383
Diabetes
autoimmune antigen receptor V gene 1091
Diversity
segment Ig heavy chain 395
DNA
autoantibody gene 287
autoantibody gene somatic mutation lupus 731
circular mouse Ig gene recombination 743
IgG autoantibody lupus erythematosus 461
DR
antigen restriction multiple sclerosis peptide 19
Element
transcription regulation HLA DQB polymorphism 181
Encephalomyelitis
astrocyte tumor necrosis factor formation 801
Endocarditis
eosinophilic bromide toxicity peroxidase endothelium 117
Endocytosis
CD4 antigen lymphocyte nonlymphocyte 575
Endothelial
leukocyte stimulation adhesion integrin CR3 1493
vascular cell adhesion human leukocyte 1553
Endothelium
bromide toxicity peroxidase eosinophilic endocarditis 117
vessel natural killer adhesion mol 439
Endotoxemia
interleukin 1 receptor antagonist 1029
Endotoxin
CR3 adhesive capacity neutrophil CD14 1281
galactosamine hypophysectomy hydrazine protection hormone 357
interleukin 8 antiinflammatory agent 1021
shock therapy chlorpromazine 1305
Engraftment
thymus severe combined immunodeficiency 167
Enhancer
T cell binding protein mouse 1133
Enterotoxin
CD4 antigen T lymphocyte TCR 367
Eosinophil
adhesion human vascular endothelial cell 1553
human CD4 stimulation 1521
Eosinophilia
autoantibody formation interleukin 5 429
Eosinophilic
endocarditis bromide toxicity peroxidase endothelium 117
Epithelial
cell interaction thymocyte thymic integrin 1537
Epithelium
gut intraepithelial T lymphocyte TCR 471
Neisseria opacity protein virulence 1395
thymus adhesion Thy1 antigen 515
Epitope
structure antibody variable region reperoire 665
Epstein
Barr virus lymphoma immunodeficiency 147
Barr virus thymocyte infection 971
Erythrocyte
antigen Plasmodium infection thalassemia 785
Erythroleukemia
Friend metastasis interferon immunity suppression 1193
Friend metastasis interleukin antitumor 313
Esterase
serine gamma delta lymphocyte 499
Expression
structure human germline transcript 1529
Extracellular
matrix adhesion lung tumor antigen 1111
matrix mRNA glomerulosclerosis transgenic mouse 1287
Fc
receptor binding affinity human IgG 1483
receptor CD2 signal transduction 859
Fibroblast
synovia rheumatoid cytokine formation 569
Filariasis
immunodeficiency lymph node 659
Follicular
dendrite human B cell adhesion 1297
lymphoma transformation diffuse lymphoma lymphocyte 197
Friend
erythroleukemia metastasis interferon immunity suppression 1193
Galactosamine
hypophysectomy endotoxin hydrazine protection hormone 357
Gamma
ray radioprotection cytokine 1177
Gene
antigen receptor V autoimmune diabetes 1091
autoantibody DNA 287
cluster cytokine mRNA atopy 775
DNA autoantibody somatic mutation lupus 731
granulocyte colony factor neoplasm suppression 889
histocompatibility dependence antigen H 833
human complement C4b binding protein 1073
human lymphocyte antigen DQB polymorphism 181
human tumor necrosis factor polymorphism 209
Ig intron recombination circularization mouse 1065
Ig isotype expression trans splicing 1385
Ig kappa variable region rearrangement 409
Ig rearrangement transcription BLIN1 cell 639
Ig recombination circular DNA mouse 743
Ig recombination transcription B lymphocyte 711
Ig translocation human B lymphoblast 1033
Iglambda1 human germline sequence protein 305
lck promoter T antigen mouse 383
lpr B cell defect autoantibody 1441
lymphokine expression T cell 25
mig mouse cytokine interferon gamma 417
perforin mRNA splicing sequence mouse 813
protein CD22 cloning sequence 137
protein NKG2 human sequence lymphocyte 1017
sequence glycoprotein gp42 lymphocyte rat 251
sequence tumor rejection antigen mouse 1373
T cell receptor junction sequence 503
transacting factor HLA DQ antigen 629
transcription factor TCF1 cloning sequence 1133
utilization Ig B lymphocyte 395
V repertoire B lymphocyte subset 1357
Genetics
histocompatibility antigen lymphocyte hepatitis 531
neutralizing antibody influenza hemagglutinin 953
Germline
human transcript structure expression 1529
Glomerulosclerosis
transgenic mouse extracellular matrix mRNA 1287
Glucan
receptor human mononuclear phagocyte 1511

Glucocorticoid
turnover interferon mRNA AU element 349
Glycan
synthesis lymphocyte Wiskott Aldrich syndrome 1501
Glycoprotein
adhesion stroma hematolymphoid cell 373
gp42 gene sequence lymphocyte rat 251
HIV antibody sequential immunization 881
Graft
host resistance class II antigen 333
skin rejection CD4 antigen 261
Granulocyte
colony factor gene neoplasm suppression 889
Granzyme
secretory lysosome cytotoxic T lymphocyte 1099
Gut
epithelium intraepithelial T lymphocyte TCR 471
intraepithelial lymphocyte Vbeta reper=toire TCR 483
mouse intraepithelial lymphocyte cytotoxic differentiation 1549
Hapten
hydroxynitrophenylacetyl B lymphocyte response 1165
Hb
degrdn Plasmodium aspartic proteinase 961
Helper
lymphocyte cytokine formation Schistoso=ma infection 159
lymphocyte priming Ig B lymphocyte 687
Hemagglutinin
influenza antigen site 953
Hematolymphoid
cell stroma adhesion glycoprotein 373
Hematopoietic
cell mast cell growth factor 1205
Hemopoiesis
differentiation interleukin 3 stroma 1257
macrophage colony stimulating factor receptor 1267
Hepatitis
virus surface antigen lymphocyte 531
Histocompatibility
antigen genetics lymphocyte hepatitis 531
antigen Mls 1a T lymphocyte 779
antigen transport cim locus rat 913
gene dependence antigen H 833
major antigen T lymphocyte 609
HIV
glycoprotein sequential immunization antibody 881
infection B lymphocyte transfer cytokine 1
infection T lymphocyte complement 1151
HLA
antigen recognition cytotoxic T lympho=cyte 221
DQ antigen gene transacting factor 629
restricted influenza virus cytotoxic lym=phocyte 1007
Hormone
endotoxin galactosamine hypophysectomy hydrazine protection 357
Human
B cell follicular dendrite adhesion 1297
B lymphoblast Ig gene translocation 1033
C reactive protein mononuclear leukocyte 495
chromosome 1 CD1 immunoglobin TCT1 1339
complement C4b binding protein gene 1073
eosinophil CD4 stimulation 1521
gene Iglambda1 germline sequence protein 305
gene lck promoter T lymphocyte 383
germline transcript structure expression 1529
IgG binding affinity Fc receptor 1483
IgM gene expression trans splicing 1385
immunodeficiency virus infection LFA1 antigen 511
interferon mRNA turnover glucocorticoid 349
leukocyte adhesion vascular endothelial cell 1553
lymphocyte antigen DQB gene polymor=phism 181
mononuclear phagocyte glucan receptor 1511
protein NKG2 gene sequence lymphocyte 1017
tumor necrosis factor gene polymorphism 209
Hydrazine
protection endotoxin galactosamine hypo=physectomy hormone 357
Hydroxynitrophenylacetyl
hapten B lymphocyte response 1165
Hypersensitivity
reaction tumor necrosis factor 673
Hypophysectomy
galactosamine endotoxin hydrazine protec=tion hormone 357
H2Ld
antigen restriction cytotoxic lymphocyte 849
Ig
B lymphocyte helper lymphocyte priming 687
chain omega lambda5 B progenitor 111
gene intron recombination circularization mouse 1065
gene isotype expression trans splicing 1385
gene rearrangement transcription BLIN1 cell 639
gene recombination circular DNA mouse 743
gene recombination transcription B lym=phocyte 711
gene translocation human B lymphoblast 1033
heavy chain joining diversity segment 395
kappa variable region gene rearrangement 409
lymphocyte CD40 antigen cytokine 705
transfer T lymphocyte immunodeficiency 265
IgE
allergen polymer interferon 279
IgG4 interleukin 4 T lymphocyte 747
IgG
autoantibody DNA lupus erythematosus 461
gene expression trans splicing mouse 1385
human binding affinity Fc receptor 1483
IgG1
IgG4 complement activation CH2 domain 1025
IgG4
IgE interleukin 4 T lymphocyte 747
IgG1 complement activation CH2 domain 1025
IgM
autoantibody neutrophil degranulation 1473
gene expression trans splicing human 1385
Immune
complex presentation antigen antibody ratio 37
complex rheumatoid factor B lymphocyte 487
tolerance Mls antigen T lymphocyte 539
Immunity
lung Cryptococcus T lymphocyte subset 793
suppression Friend erythroleukemia me=tastasis interferon 1193
Immunization
sequential glycoprotein HIV antibody 881
Immunodeficiency
adoptive transfer T lymphocyte 265
lymph node filariasis 659
natural killer virus infection lymphocyte 1053
severe combined thymus engraftment 167
severe combined virus lymphoma 147
virus transforming growth factor 589
Immunoglobin
CD1 human chromosome 1 TCT1 1339
Immunosuppressant
cyclosporine analog cyclophilin protein binding 619
Immunosuppression
antibody asialoganglioside 167
Induction
autoreactive B cell T cell 1433
Infection
Leishmania mouse sand fly saliva 49
Influenza
hemagglutinin antigen site 953
virus cytotoxic lymphocyte HLA restricted 1007
Integrin
Bordetella localization macrophage lung colonization 1143
CR3 endothelial leukocyte stimulation adhesion 1493
thymocyte thymic epithelial cell interac=tion 1537
VLA4 lymphohemopoiesis 599
Interferon
allergen polymer IgE 279
CD8 antigen lymphocyte antitumor 647
gamma newborn leukocyte function calcium 767
gamma responsive element gene mig 417
human immunodeficiency virus monocyte correction 277
immunity suppression Friend erythro=leukemia metastasis 1133
mRNA human turnover glucocorticoid 349
natural killer cell stimulating factor 869
tumorigenicity class II antigen 193
Interleukin
antitumor metastasis Friend erythroleuke=mia 313
mast cell factor stem cell 1205
tumor necrosis factor monocyte thalidom=ide 699
1 binding receptor antagonist antibody 931
1 receptor antagonist endotoxemia 1029
10 mast cell progenitor 507
2 Ig B lymphocyte 687
2 killer cell glycoprotein gp42 251
2 mRNA B7 CD28 antigen 721
2 pathway alloantigen tolerance 79
2 receptor antibody autoimmune thyroidi=tis 899
2 recombinant lepromatous leprosy 993
2 T cell receptor repertoire 1323
3 hemopoiesis differentiation stroma 1257
4 formation vitronectin receptor TCR 231
4 in situ thymocyte development 89
4 T lymphocyte IgE IgG4 747
5 eosinophilia autoantibody formation 429
7 B lymphocyte precursor 1213
7 monocyte cytokine secretion antitumor 923
8 endotoxin antiinflammatory agent 1021
8 endotoxin antiinflammatory agent cor=rection 1557
8 neutrophil phagocytosis 771
9 transformation tumorigenicity 519
Intraepithelial
lymphocyte cytotoxic differentiation mouse gut 1549
T lymphocyte TCR gut epithelium 471
Intron
human TNF alpha amino acid 209
Ig gene recombination circularization mouse 1065
Irritant
reaction tumor necrosis factor 673
Joining
segment Ig heavy chain 395
Kidney
toxicity cyclosporine analog cyclophilin binding 619
Killer
cell glycoprotein gp42 interleukin 2 251
lymphocyte alloantigen cytolysis CD56 antigen 1451
Kinase
protein tyrosine gene lck lymphocyte 383
Ld
antigen peptide ligand binding structure 449
Leishmania
infection mouse sand fly saliva 49
Lepromatous
leprosy recombinant interleukin 2 993
Leprosy
lepromatous recombinant interleukin 2 993
Leukocyte
adhesion human vascular endothelial cell 1553
endothelial stimulation adhesion integrin CR3 1493
function calcium newborn interferon gam=ma 767
mononuclear human C reactive protein 495
LFA1
antigen human immunodeficiency virus infection 511
Lipopolysaccharide
binding protein CR3 neutrophil adhesion 1281
Listeria
phospholipase C phosphatidylinositol virulence 751
Lpr
gene B cell defect autoantibody 1441
T lymphocyte neg selection thymus 127
Lung
colonization macrophage integrin Borde=tella localization 1143

Cryptococcus immunity T lymphocyte subset 793
tumor antigen extracellular matrix adhesion 1111
Lupus
DNA autoantibody gene somatic mutation 731
erythematosus autoantibody multicatalytic proteinase 423
erythematosus IgG autoantibody DNA 461
Lymph
node filariasis immunodeficiency 659
Lymphoblast
B human Ig gene translocation 1033
Lymphocyte
adhesion B7 CD28 antigen 721
alloactivation CD28 ligand B7 BB1 759
antigen human DQB gene polymorphism 181
B complement receptor interaction 1083
B Ig gene recombination transcription 711
B Ig gene utilization 395
B precursor differentiation antigen marker 1213
B response hydroxynitrophenylacetyl hapten 1165
B rheumatoid factor immune complex 487
B signaling complement receptor CD19 55
B subset V gene repertoire 1357
B transfer HIV infection cytokine 1
B virgin primed CD44 antigen 763
CD4 CD8 cryptococcus growth dissemination 755
cytotoxic class I antigen cytoskeleton 241
cytotoxic influenza virus HLA restricted 1007
cytotoxic T antigen CD8 dependency 849
cytotoxic T apoptosis peptide 681
cytotoxic T HLA antigen recognition 221
cytotoxic T secretory lysosome perforin 1099
dendritic cell neonate tolerance antigen 549
follicular lymphoma transformation diffuse lymphoma 197
gamma delta perforin serine esterase 499
glycan synthesis Wiskott Aldrich syndrome 1501
helper cytokine formation Schistosoma infection 159
hepatitis virus surface antigen 531
Ig CD40 antigen cytokine 705
interferon CD8 antigen antitumor 647
intraepithelial cytotoxic differentiation mouse gut 1549
intraepithelial gut Vbeta repertoire TCR 483
killer alloantigen cytolysis CD56 antigen 1451
myelin peptide recognition multiple sclerosis 19
natural killer membrane protein gene 1017
natural killer virus infection immunodeficiency 1053
nonlymphocyte endocytosis CD4 antigen 575
protein tyrosine kinase gene lck 383
rat glycoprotein gp42 gene sequence 251
recognition peptide mutated ras protein 273
T activation antigen vitronectin receptor 343
T activation receptor CD2 antigen 297
T adoptive transfer immunodeficiency 265
T CDH CD8 astroglia 1235
T CD4 antigen TCR enterotoxin 367
T gamma delta antigen receptor 1311
T gamma delta receptor Mycobacterium 1331
T HIV infection complement 1151
T immune tolerance Mls antigen 539
T interleukin 4 IgE IgG4 747
T intraepithelial TCR gut epithelium 471
T lpr neg selection thymus 127
T lysis antigen priming 841
T major histocompatibility antigen 609
T Mls 1a histocompatibility antigen 779
T subset immunity lung Cryptococcus 793
T thymus homing cell cycle 1039
TCR vitronectin receptor activation 231
Lymphohemopoiesis
integrin VLA4 599
Lymphokine
gene expression T cell 25
Lymphoma
follicular transformation diffuse lymphoma lymphocyte 197
immunodeficiency Epstein Barr virus 147
Lysis
T lymphocyte antigen priming 841
Lysosome
perforin secretory cytotoxic T lymphocyte 1099
L929
cell mouse secretion human interferon 349
Macrophage
colony stimulating factor osteoclast differentiation 1291
colony stimulating factor osteoclast osteopetrosis 269
colony stimulating factor receptor hemopoiesis 1267
immunodeficiency virus transforming growth factor 589
lung colonization integrin Bordetella localization 1143
stimulating protein sequence activity 1227
Major
histocompatibility antigen T lymphocyte 609
Malaria
Plasmodium cytokine 523
Mast
cell growth factor hematopoietic cell 1205
cell progenitor interleukin 10 507
Metastasis
Friend erythroleukemia interleukin antitumor 313
Mice
skin allograft rejection CD8 depletion 1463
Minor
histocompatibility antigen bone marrow transplant 101
Mitochondria
MTA antigen rat 823
Mls
antigen T lymphocyte immune tolerance 539
1a T lymphocyte histocompatibility antigen 779
Monocyte
cytokine secretion antitumor interleukin 7 923
immunodeficiency virus transforming growth factor 589
thalidomide tumor necrosis factor interleukin 699
Mouse
adenocarcinoma suppression human gene GCSF 889
cytokine gene mig interferon gamma 417
gut intraepithelial lymphocyte cytotoxic differentiation 1549
Ig gene intron recombination circulariza tion 1065
Ig gene recombination circular DNA 743
IgG gene expression trans splicing 1385
Leishmania infection sand fly saliva 49
L929 cell secretion human interferon 349
model Brugia parasite immunodeficiency 659
perforin gene mRNA splicing sequence 813
T cell enhancer binding protein 1133
transgenic glomerulosclerosis extracellular matrix mRNA 1287
transgenic SV40 T antigen tumor 383
tumor rejection antigen gene sequence 1373
mRNA
cytokine gene cluster atopy 775
extracellular matrix glomerulosclerosis transgenic mouse 1287
human interferon turnover glucocorticoid 349
interleukin 2 B7 CD28 antigen 721
splicing perforin mouse 813
MTA
antigen mitochondria rat 823
Multicatalytic
proteinase autoantibody lupus erythematosus 423
Multiple
sclerosis myelin peptide recognition lymphocyte 19
Mutated
ras protein peptide lymphocyte recognition 273
Mutation
somatic DNA autoantibody gene lupus 731
Mycobacterium
T lymphocyte gamma delta receptor 1331
Myelin
peptide recognition lymphocyte multiple sclerosis 19
Natural
killer cell stimulating factor interferon 869
killer vessel endothelium adhesion mol 439
killer virus infection lymphocyte immunodeficiency 1053
Neisseria
opacity protein epithelium virulence 1395
Neonate
tolerance antigen dendritic cell lymphocyte 549
Neoplasm
suppression granulocyte colony factor gene 889
Nephrotoxicity
cyclosporine analog cyclophilin binding 619
Neutralizing
antibody influenza hemagglutinin genetics 953
Neutrophil
adhesion human vascular endothelial cell 1553
CR3 adhesive capacity endotoxin CD14 1281
degranulation IgM autoantibody 1473
phagocytosis interleukin 8 771
synovial transforming growth factor 1121
Newborn
leukocyte function calcium interferon gamma 767
Nucleolus
autoantigen sequence polymyositis scleroderma human 941
Opacity
protein Neisseria epithelium virulence 1395
Osteoclast
differentiation macrophage colony stimulating factor 1291
osteopetrosis macrophage colony stimulating factor 269
Osteopetrosis
osteoclast macrophage colony stimulating factor 269
Parasite
Brugia mouse model immunodeficiency 659
Peptide
cytotoxic T lymphocyte apoptosis 681
ligand binding Ld antigen structure 449
mutated ras protein lymphocyte recognition 273
myelin recognition lymphocyte multiple sclerosis 19
Perforin
gene mRNA splicing sequence mouse 813
secretory lysosome cytotoxic T lymphocyte 1099
serine esterase gamma delta lymphocyte 499
Peroxidase
toxicity bromide endothelium eosinophilic endocarditis 117
Phagocyte
human mononuclear glucan receptor 1511
Phagocytosis
neutrophil interleukin 8 771
Phosphatidylinositol
phospholipase C Listeria virulence 751
Phospholipase
C phosphatidylinositol Listeria virulence 751
Plasmodium
cytokine malaria 523
Hb degrdn aspartic proteinase 961
infection thalassemia erythrocyte antigen 785
Platelet
cytotoxicity Toxoplasma thromboxane 65
Polymorphism
human lymphocyte antigen DQB gene 181
human tumor necrosis factor gene 209
Polymyositis
scleroderma autoantigen nucleolus sequence human 941
PreB
cell protein gene homol Iglambda1 305
Precursor
Bcell subset V gene repertoire 1357
Priming
autoreactive T cell B cell 1433
Promoter
gene lck human mouse development 383
Protein
binding T cell enhancer mouse 1133

C reactive human mononuclear leukocyte 495
CD22 gene cloning sequence 137
coiled body autoantibody cloning 1407
complement C4b binding gene human 1073
cyclophilin binding cyclosporine analog immunosuppressant 619
lipopolysaccharide binding CR3 neutrophil adhesion 1281
macrophage stimulating sequence activity 1227
mutated ras peptide lymphocyte recognition 273
NKG2 gene sequence lymphocyte human 1017
opacity Neisseria epithelium virulence 1395
sequence germline gene Iglambda1 human 305
tyrosine kinase gene lck lymphocyte 383
Proteinase
aspartic Plasmodium Hb degrdn 961
multicatalytic autoantibody lupus erythematosus 423
P56lck
thymocyte development expression 1421
Radioprotection
cytokine gamma ray 1177
Rat
glycoprotein gp42 gene sequence lymphocyte 251
histocompatibility antigen transport cim locus 913
mitochondria MTA antigen 823
Rearrangement
Ig gene transcription BLIN1 cell 639
Ig kappa variable region gene 409
Receptor
antagonist antibody interleukin 1 binding 931
antigen gamma delta T lymphocyte 1311
antigen V gene autoimmune diabetes 1091
complement blood group antigen 1159
complement CD19 B lymphocyte signaling 55
complement interaction B lymphocyte 1083
Fc CD2 signal transduction 859
gamma delta T lymphocyte Mycobacterium 1331
interleukin 2 antibody autoimmune thyroiditis 899
macrophage colony stimulating factor hemopoiesis 1267
T cell antigen thymocyte 323
T cell chain CD3 interaction 1247
T cell gamma delta specificity 503
T cell repertoire interleukin 2 1323
T cell superantigen interaction site 1183
T cell thymocyte selection 561
T lymphocyte activation CD2 antigen 297
TCR CD3 antigen epsilon chain 7
vitronectin activation antigen T lymphocyte 343
vitronectin activation TCR lymphocyte 231
Recombinant
interleukin 2 lepromatous leprosy 993
Recombination
circularization Ig gene intron mouse 1065
Ig gene circular DNA mouse 743
Ig gene transcription B lymphocyte 711
multiple Ig kappa variable gene 409
Rheumatoid
factor B lymphocyte immune complex 487
synovia fibroblast cytokine formation 569
Saliva
sand fly mouse Leishmania infection 49
Sand
fly saliva mouse Leishmania infection 49
Schistosoma
infection cytokine formation helper lymphocyte 159
Scleroderma
polymyositis autoantigen nucleolus sequence human 941
Secretion
human interferon mouse L929 cell 349
Secretory
lysosome perforin cytotoxic T lymphocyte 1099
Sequence
autoantigen nucleolus polymyositis scleroderma human 941
C reactive protein cDNA human 495
gene glycoprotein gp42 lymphocyte rat 251
gene transcription factor TCF1 1133
gene tumor rejection antigen mouse 1373
germline gene Iglambda1 human 305
Ig gene translocation chromosome 1033
junction T cell receptor gene 503
macrophage stimulating protein 1227
perforin gene mRNA mouse 813
protein CD22 gene 137
protein NKG2 gene human lymphocyte 1017
Sequential
immunization glycoprotein HIV antibody 881
Serine
esterase gamma delta lymphocyte 499
Severe
combined immunodeficiency thymus engraftment 167
combined immunodeficiency virus lymphoma 147
Shock
endotoxin therapy chlorpromazine 1305
Skin
allograft rejection mice CD8 depletion 1463
graft rejection CD4 antigen 261
Somatic
mutation DNA autoantibody gene lupus 731
Splicing
mRNA perforin mouse 813
trans Ig gene isotype expression 1385
Stem
cell lineage differentiation stroma interleukin 1257
cell mast cell factor interleukin 1205
stroma cell differentiation hemopoiesis 1267
Stimulation
CD4 human eosinophil 1521
Stroma
colony stimulating factor osteoclast differentiation 1291
hematolymphoid cell adhesion glycoprotein 373
stem cell differentiation hemopoiesis 1267
stem cell lineage differentiation interleukin 1257
Structure
expression human germline transcript 1529
Superantigen
interaction site receptor T cell 1183
Surface
antigen hepatitis virus lymphocyte 531
SV40
T antigen tumor transgenic mouse 383
Synovia
fibroblast rheumatoid cytokine formation 569
Synovial
neutrophil transforming growth factor 1121
T
antigen SV40 tumor transgenic mouse 383
cell antigen receptor thymocyte 323
cell autoreactive priming B cell 1433
cell enhancer binding protein mouse 1133
cell lymphokine gene expression 25
cell receptor CD2 signal transduction 859
cell receptor chain CD3 interaction 1247
cell receptor gamma delta specificity 503
cell receptor repertoire interleukin 2 1323
cell receptor superantigen interaction site 1183
cell receptor thymocyte selection 561
lymphocyte activation antigen vitronectin receptor 343
lymphocyte activation receptor CD2 antigen 297
lymphocyte adoptive transfer immunodeficiency 265
lymphocyte CDH CD8 astroglia 1235
lymphocyte CD4 antigen TCR enterotoxin 367
lymphocyte cytotoxic apoptosis peptide 681
lymphocyte gamma delta antigen receptor 1311
lymphocyte gamma delta receptor Mycobacterium 1331
lymphocyte HIV infection complement 1151
lymphocyte immune tolerance Mls antigen 539
lymphocyte interleukin 4 IgE IgG4 747
lymphocyte intraepithelial TCR gut epithelium 471
lymphocyte lpr neg selection thymus 127
lymphocyte lysis antigen priming 841
lymphocyte major histocompatibility antigen 609
lymphocyte Mls 1a histocompatibility antigen 779
lymphocyte subset immunity lung Cryptococcus 793
lymphocyte thymus homing cell cycle 1039
TCR
CD2 antigen T lymphocyte activation 297
CD4 antigen T lymphocyte enterotoxin 367
CD8 cytotoxic lymphocyte antigen 241
gut epithelium intraepithelial T lymphocyte 471
lymphocyte vitronectin receptor activation 231
receptor CD3 antigen epsilon chain 7
Vbeta repertoire gut intraepithelial lymphocyte 483
TCT1
immunoglobin CD1 human chromosome 1 1339
Thalassemia
Plasmodium infection erythrocyte antigen 785
Thalidomide
monocyte tumor necrosis factor interleukin 699
Thromboxane
platelet cytotoxicity Toxoplasma 65
Thymic
thymocyte epithelial cell interaction integrin 1537
Thymocyte
development expression p56lck 1421
development interleukin 4 in situ 89
infection Epstein Barr virus 971
selection T cell receptor 561
T cell antigen receptor 323
thymic epithelial cell interaction integrin 1537
thymus adhesion Thy1 antigen 515
Thymus
engraftment severe combined immunodeficiency 167
homing T lymphocyte cell cycle 1039
lpr T lymphocyte neg selection 127
thymocyte adhesion Thy1 antigen 515
Thyroiditis
autoimmune antibody interleukin 2 receptor 899
Thy1
antigen adhesion thymocyte thymus calcium 515
Tolerance
alloantigen interleukin 2 pathway 79
neonate antigen dendritic cell lymphocyte 549
transplantation CD4 clonal anergy 491
Toxicity
bromide peroxidase endothelium eosinophilic endocarditis 117
Toxoplasma
platelet cytotoxicity thromboxane 65
Transacting
factor gene HLA DQ antigen 629
Transcription
factor TCF1 gene cloning sequence 1133
Ig gene rearrangement BLIN1 cell 639
regulation element HLA DQB polymorphism 181
Transformation
tumorigenicity interleukin 9 519
Transforming
growth factor brain dysfunction AIDS 981
growth factor immunodeficiency virus 589
growth factor neutrophil synovial 1121
Translocation
Ig gene human B lymphoblast 1033
Transplant
bone marrow minor histocompatibility antigen 101
Transplantation
tolerance CD4 clonal anergy 491
Transport
histocompatibility antigen cim locus rat 913
Tumor
lung antigen extracellular matrix adhesion 1111
necrosis factor alpha antitumor 1047
necrosis factor CD8 lymphocyte antitumor 647
necrosis factor chlorpromazine 1305
necrosis factor endotoxin antiinflammatory agent 1021
necrosis factor formation astrocyte encephalomyelitis 801
necrosis factor gene polymorphism human 209

necrosis factor interleukin monocyte thali=
domide 699
necrosis factor irritant hypersensitivity
reaction 673
rejection antigen gene sequence mouse
1373
transgenic mouse SV40 T antigen 383
Tumorigenicity
interferon class II antigen 193
transformation interleukin 9 519
V
gene repertoire B lymphocyte subset
1357
Variable
region antibody repertoire epitope struc=
ture 665
Vascular
endothelial cell adhesion human leukocyte
1553
Vbeta
repertoire TCR gut intraepithelial lym=
phocyte 483
Vessel
endothelium natural killer adhesion mol
439
Virulence
Listeria phospholipase C phosphatidylino=
sitol 751
Neisseria opacity protein epithelium
1395
Virus
Epstein Barr lymphoma immunodeficiency
147
Epstein Barr thymocyte infection 971
hepatitis surface antigen lymphocyte 531
human immunodeficiency infection LFA1
antigen 511
immunodeficiency transforming growth
factor 589
infection immunodeficiency natural killer
lymphocyte 1053
influenza cytotoxic lymphocyte HLA
restricted 1007
Vitronectin
receptor activation antigen T lymphocyte
343
receptor activation TCR lymphocyte 231
Wiskott
Aldrich syndrome glycan synthesis lym=
phocyte 1501